

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyrighted, 1890, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXII.—No. 15.
ESTABLISHED 1845.

NEW YORK, APRIL 12, 1890.

[\$3.00 A YEAR.
WEEKLY.]



BIRD'S EYE VIEW SHOWING A PORTION OF THE TORNADO TRACK, LOUISVILLE.—[See p. 232.]

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S., Canada or Mexico..... \$3 00
 One copy, six months, for the U. S., Canada or Mexico..... 1 50
 One copy, one year, to any foreign country belonging to Postal Union. 4 00
 Remit by postal or express money order, or by bank draft or check.
 MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for U. S., Canada or Mexico. \$6.00 a year to foreign countries belonging to the Postal Union. Single copies, 10 cents. Sold by all newsdealers throughout the country. See prospectus last page.
 Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to any address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union, nine dollars a year.

Building Edition.

THE ARCHITECTS AND BUILDERS EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor plans, perspective views, and sheets of constructive details, pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.
 Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, \$5.00 a year; combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN and SUPPLEMENT, \$9.00 a year. To foreign countries, \$11.50 a year.

Spanish Edition of the Scientific American.

LA AMERICA CIENTIFICA E INDUSTRIAL (Spanish trade edition of the SCIENTIFIC AMERICAN) is published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number of *La America* is profusely illustrated. It is the finest scientific, industrial trade paper printed in the Spanish language. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. \$3.00 a year, post paid to any part of the world. Single copies 25 cents. See prospectus.

MUNN & CO., Publishers,

The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.

NEW YORK, SATURDAY, APRIL 12, 1890.

Contents.

(Illustrated articles are marked with an asterisk.)

Bicycle, safety, Lovell*.....	229	Gunpowder, smokeless.....	226
Blind in China, instruction.....	227	Horsehoes, exhibition of.....	235
Cars, compressed air*.....	229	Kneader, dough, Melendy's*.....	235
Chimney struck by lightning.....	231	Looms, power, for velvet.....	228
Coffee as an antiseptic.....	231	Mars, markings of.....	227
Colors for show bottles.....	234	Material, raw, vegetable.....	235
Comet, Davidson's.....	227	Mel rose.....	230
Coupling, car, Seay's*.....	228	Notes, astronomical.....	227
Cultivator, cotton, Bailey's*.....	229	Oxygen, preparation of.....	230
Cyclone of March 26, 27, 28*.....	232, 233	Perfume, heliotrope.....	230
"Death Gulch," Yellowstone.....	234	Pest, rabbit, Australian.....	231
Park.....	234	Pills, quinine.....	230
Decision, patent, Supreme Court.....	231	Pin, safety, Hohnstedt's*.....	231
Depilatory.....	230	Punch, cheek, Lane's*.....	231
Disinfectant, Bailey's.....	228	Ramie, progress of.....	229
Distributor, poison, Brown's*.....	229	Salaries, Patent Office.....	226
Examinations, revenue marine.....	229	Salmon, stocking Hudson with.....	226
Eclipse, satellite of Saturn.....	227	Scepter, ancient, chem. exam.....	235
Exhibition, Jamaica, 1891.....	225	Shaper, pencil, Hancock's*.....	231
Fountains, luminous.....	229	Shelf, stovepipe, Longyear's*.....	231
Galley, printer's, Hoss*.....	228	Stars, double, new.....	227
Gas, natural, Indiana and Ohio.....	235	Succession, Chevreul's.....	230
Gems.....	231	System, sewerage, Hallock's*.....	227
Glass, red.....	228	Tunnel, Hudson River, fire in.....	228

TABLE OF CONTENTS OF

SCIENTIFIC AMERICAN SUPPLEMENT

No. 745.

For the Week Ending April 12, 1890.

Price 10 cents. For sale by all newsdealers.

	PAGE
I. POTANY.—Method of Preserving the Color of Plants in an Herbarium.—A very curious and interesting process, which a botanist can utilize for producing an herbarium of colored specimens.....	11910
II. CIVIL ENGINEERING.—Circulation of Water in Steam Boilers.—By GEORGE H. BARCOCK.—The motion of water in tubular boilers and the proper conditions as regards arrangements and proportions of parts for insuring proper circulation.—A Sibley College lecture.—10 illustrations.....	11902
New York City Aqueduct, its Engineering Features and Design.—By ALEX. CRAWFORD CHERNOWETH.—A review of the completed aqueduct from an engineering standpoint, with interesting maps and profiles of the work, showing the difficulties encountered and how they were overcome.—3 illustrations.....	11900
III. DECORATIVE ART.—Cast Iron and its Treatment for Artistic Purposes.—By W. R. LETHBRIDGE.—The use of cast iron for the interpretation of artistic feelings, with excellent examples of its treatment in the olden times, as suggestions for its proper use in the present age.—5 illustrations.....	11898
IV. GEOLOGY.—A Swedish Meteorite.—A meteorite which fell during the last year.—Notes of its composition and phenomena of its fall.....	11895
The Steinbach Cave near Sulzbach.—Two beautiful illustrations, with description of scenes in the newly discovered cave.—2 illustrations.....	11895
V. MECHANICAL ENGINEERING.—A Three-Cylinder Gas Motor.—A gas motor of very light weight for its power, utilizing petroleum vapor.—Practical results attained by it in driving a boat.—9 illustrations.....	11904
VI. MICROSCOPY.—The Preparation of Microscopical Sections from Barks and Roots used in Pharmacy.—A very important paper on the preparation of microscopic sections, with formulas for staining and giving different methods of preparation.....	11895
VII. MISCELLANEOUS.—How Circus Performers Learn to go Bare Back.—How circus performers are taught their work.—A very picturesque and graphic presentation of the subject.—2 illustrations. Milk of the Bottle-nose Whale.—By Prof. PERCY F. FRANKLAND, Ph.D., and FRED. J. HANBLEY.....	11909
A Sensitive Test for Certain Impurities in Mercury.—By Dr. G. GORE, F.R.S.....	11907
VIII. NAVAL ENGINEERING.—Aluminum Bronze and Brass as a Suitable Material for Propellers.—An elaborate paper on the materials which have been used at different times for making propeller wheels, with the details of government tests made of numerous aluminum alloys and other materials.....	11896
IX. PISCICULTURE.—Fish Breeding.—A Surrey Trout Farm.—The artificial cultivation and raising of trout in England, with very picturesque illustrations of the scenes at the hatchery.—6 illustrations.....	11908
X. PHYSIOLOGY.—Tests of Vision.—Abstract of a recent paper read before the Society of Arts in London on vision testing for practical purposes.—A paper of interest at the present day, when railroad operatives are being thus examined.—The defects of the present systems of testing candidates.....	11909
XI. TECHNOLOGY.—Smokeless Explosives.—By Sir FREDERICK ABEL, F.R.S.—A recent Royal Institution discourse by the great authority on explosives.—Treating of the all-important subject of the production of explosives for rapid-firing guns.—An elaborate account of the work of inventors in this line and present aspect and probabilities of the question.....	11904

SMOKELESS GUNPOWDER.

In our paper of March 22 we gave illustrations showing the comparative optical results of firing with ordinary black powder and the new smokeless powder by squads of troops in the French army. On the 1st inst. a further test of the new explosive took place near Paris, under the auspices of Gen. Saussier, on which occasion some regiments of infantry riflemen and batteries of artillery took part. This is believed to be the most extensive field trial of the new powder that has so far occurred, and appears to have been attended with much success. The firing from cannon and small arms was continuous, but without smoke, and the military people were greatly surprised. It is said it will now be necessary to change the uniform of the French soldiery, to substitute subdued colors for their red pantaloons and other bright accouterments, as the absence of smoke renders the gay figures of the men very conspicuous when in action.

One of the earliest forms of smokeless explosives is the well known guncotton. Then came dynamite and other explosives, such as blasting gelatine, the bases of which are nitro-glycerine, from which the present smokeless powder is directly produced. The improvement by which the nitro-glycerine compound or explosive gelatine is made serviceable for military purposes is by Col. Hess, and consists in incorporating with nitro-glycerine a larger proportion of nitro-cotton than is used in making the blasting gelatine, then adding camphor, which latter ingredient serves to promote the union of the two explosives, and at the same time deadens the violence or reduces the rapidity of the explosion of the substance. In appearance the substance called smokeless powder is horn-like. It can be rolled into sheets, pellets, or any desired form. It, in fact, resembles in many respects those well known forms of colloid or dissolved nitro-cottons popularly termed xylonite and celluloid; both of which, although highly inflammable, are not in the ordinary sense explosives. Those who desire to gain an authoritative knowledge of the nature and production of smokeless powder and other high explosives of the same family will be interested in the excellent paper on the subject by Sir Frederick Abel, given in full in our this week's SUPPLEMENT.

A NEW DECISION BY THE SUPREME COURT RELATING TO FOREIGN AND AMERICAN PATENTS.

An important decision has lately been rendered by the Supreme Court of the United States, touching the validity of American patents in their relation to prior foreign patents. The American law provides that where a foreign patent has been granted for an invention, the subsequent American patent for the same, instead of running for 17 years, shall expire whenever the foreign patent expires. Heretofore, the American courts have interpreted this law to mean that whenever for any reason the prior foreign patent became dead, the American patent shared the same fate. This proved to be a most disastrous decision for American patentees. Nearly all European patents are granted on the installment plan; that is to say, the patent is issued for the term of 14 or 15 years, subject to the payment of an annual installment; subject also to working within a year or two years, subject to the continuance of the working, and other inconvenient conditions. Failure to make one of the payments terminates the patent at once, and under the American decisions such termination of the foreign patent also terminated the life of the American patent.

The injustice of such laws and the hardships thus inflicted upon American patentees are apparent. Owing to long delays in our Patent Office by interferences or by accumulation of business, the issue of the American patent is in some cases so greatly delayed that it becomes necessary to take the foreign patents before the American patent is allowed; and heretofore, when this has been done, the patentee has subjected himself to the risk of losing his American patent, in the manner above described. Several very valuable patents have been so lost.

The Supreme Court has now corrected this obnoxious interpretation. In the case of *Pohl v. the Anchor Brewing Company*, decided March 24, 1890, the court holds as follows:

"There is nothing in the statute (Revised Statutes, section 4,887) which admits of the view that the duration of the United States patent is to be limited by anything but the duration of the legal term of the foreign patent in force at the time of the issuing of the United States patent, or that it is to be limited by any lapsing or forfeiture of any portion of the term of such foreign patent, by means of the operation of a condition subsequent, according to the foreign statute.

"Section 4,887, Revised Statutes, is to be read as if it said that the United States patent is to be so limited as to expire at the same time with the expiration of the term of the foreign patent, or, if there be more than one, at the same time with the expiration of the term of the one having the shortest term."

This decision will be hailed with satisfaction by American inventors, as it will enable them to apply for foreign patents, in cases where they are obliged to do

so, before the issue of the American patent, without risk of altogether losing their American patents.

STOCKING THE HUDSON WITH SALMON.

The success which has attended the efforts of the United States Fish Commission, co-operating with the commissioners of the State of New York, to increase the number of shad in the Hudson, gives good ground for the belief that their efforts to make the Hudson a salmon river will be equally successful.

Owing to the great increase in the population of the country and the rapid extension of railroads, there has been a broadening of the market for fish, so that products of the Hudson, for instance, are being served on the tables of consumers as far west as Omaha, and probably beyond that point. The entire exhaustion of many streams would have undoubtedly resulted from this increased demand had it not been for the equally rapid growth of methods for the artificial propagation of fish and the restocking of the streams. One result of this work is shown in the case of the shad, which was becoming very scarce in the Hudson River when the work of the fish commissioners was commenced, but which last season showed the largest catch in many years, 1,508,548 being taken.

The Hudson is about the most southerly river in which it can be hoped to successfully propagate salmon (*Salmo salar*), though they have been caught in the Delaware. When Hendrick Hudson ascended the river which bears his name, he wrote in his journal: "Many salmon, and rays very great;" and when he had got beyond the Highlands he wrote again, "Great stores of salmon in the river." The rustics along the banks of the river objected to the introduction of Robert Fulton's steamboat because it would scare away all the fish, and there may be found those who will cite the improvements of modern times as the principal cause for the entire absence of salmon in the river when the commissioners commenced their labors. Col. Marshal McDonald, who is now at the head of the United States Commission, however, says there is no evidence going to show that the Hudson was ever a salmon river.

That salmon have heretofore been unfamiliar to the fishermen along the Hudson is indicated by the fact that it is only a few years ago that one was caught at Yonkers, and the captor upon cutting it open and finding it red inside, threw it away as being uneatable.

Some fish culturists have been very skeptical in regard to the success of the attempt to make the salmon thrive in the Hudson, but the plan of restocking the stream has been resolutely followed by the present commissioners, the work being under the special care of Mr. Fred. Mather, the superintendent of the State hatchery at Cold Spring Harbor, L. I. In 1880, Mr. Mather suggested to Professor Spencer F. Baird, then United States Commissioner of Fisheries, that the Hudson was well adapted for the salmon, and the latter determined that the attempt should be made to stock the stream with this delicious fish. A hatchery was finally located on Long Island, and the plantings of fry (small fish) in the tributaries on the Hudson have been as follows:

1882.....	225,000
1883.....	245,000
1884.....	425,000
1885.....	320,000
1886.....	300,000
1887.....	140,500
1888.....	440,000
1889.....	568,188
1890, about.....	500,000
Total.....	3,163,688

In January eggs are sent to the Cold Spring hatchery from the Penobscot River, Maine, by the United States Fish Commission. The Penobscot, by the way, had become nearly depleted of salmon, but owing to efforts similar to those which are being pursued on the Hudson, it now abounds with these fish.

To avoid being obliged to take the chances of capturing fish with the spawn in just the right condition, Mr. Charles G. Atkins found that he could keep the fish in pens until their spawn ripened, and thus obtain much larger quantities of it. The spawn is stripped from the female fish and the impregnation with the milt of the male is effected simultaneously. The first sign of development in the egg is the appearance of a distinct line, which is what afterward becomes the vertebra of the fish. Then the eye appears, and this soon becomes the most prominent feature, and indicates that the eggs are ready for transportation. They are packed in spagnum moss and shipped in boxes with very little loss or damage. When the boxes are opened the temperature is tested, and by sprinkling the eggs with water they are gradually brought to the temperature of the breeding troughs, into which they are placed. These troughs are supplied with water which comes from inexhaustible springs in the immediate vicinity of the hatchery. When the egg hatches, the yolk is seen to be attached to the abdomen of the embryo fish, which lies on its side and shows great weakness. Gradually the yolk is absorbed into the body, which furnishes substance until this has entirely disappeared, when the fish begins to seek for itself. From forty to fifty days elapse between the time the spawn is taken

from the fish to the reception of the eggs at the hatchery, and a little longer period is consumed in the process of hatching. The young fish, or fry as they are called, are placed in tin cans protected by wooden jackets and sent, during the latter part of April and up to the middle of May, to their places of destination. Tributary streams of the Hudson which are thought to be best adapted to the growth of fry are selected, and much planting has been done about North Creek, at the terminus of the Adirondack railroad.

In Prof. Baird's report on the "Sea Fisheries of Eastern North America," the artificial propagation of fish is referred to as follows:

"According to reliable estimates not more than 1 egg in 200 hatched naturally in the waters produces a fish capable of feeding itself, this representing by far the greatest expectancy of destruction in the number of eggs laid by the female. On the other hand, artificial impregnation and propagation should give us not less than 175, or even more yet, of the 200—a vast difference, which could not fail to tell in the result. In other words, the proportional result of artificial hatching is 175 fold that by the natural spawning of the same fish. A part of the loss of eggs by the natural process is due to imperfect fertilization, and it is here that artificial propagation has the advantage in securing the contact of the milt with all the ripe eggs, leaving an insignificant fraction not fertilized."

The eggs, as well as the young fish, have to encounter a whole host of enemies, the dragon fly in the larva and pupa state, for instance, destroying great numbers of them. Sawdust, which is allowed to pass into the streams, is very injurious, as it covers the spawning beds and the turpentine poisons the fish. In the hatcheries the breeding troughs are covered with a coating of coal tar to prevent the exudation from the pine, which causes a blue swelling in the yolk and finally the death of the fish. A law was passed imposing a penalty for throwing sawdust into fish streams, but it has been so amended as to make it almost a dead letter.

It is thought that the salmon, in seeking the sea, do not proceed beyond the same latitude as the river down which they came. The first migration takes place when the males are three years of age and the females four, and they unfailingly seek the same stream in which they were reared. The fish of one river differ slightly in appearance from those of another river in the same vicinity.

In regard to the wonderful migratory instinct of salmon, Lord Dunmore says that he caught on his property in the Isle of Harris, in the Hebrides, some twenty or thirty salmon. These he marked and carried alive in his yacht to the opposite side of the island, where they were all turned into a lake. In the course of the same season in which they were transported it was ascertained that some of these same fish had come back again, all the way home, a circuit of forty miles at least through the pathless waters of the great Atlantic, passing several rivers in their journey, up which they might have gone had they not preferred their native stream.

Very little is known of the salmon for a large portion of the year, but the impulse to seek the spawning beds at the head waters of the rivers brings them for a comparatively brief season within reach of man.

This reproductive instinct is so strong in this fish that it will pass seemingly insurmountable barriers to reach the spawning grounds. Statements more or less exaggerated are made as to how high the salmon will jump in attempts to pass dams and waterfalls; but Mr. Fred Mather, who is an expert, says that with a deep pool from which to start, the salmon will jump from six to eight feet. In order to permit the fish to pass the dams, fishways have been built at Troy and Schenectady, and the Legislature of New York has provided for the building of two more, one at Mechanicville and the other at Northumberland. This will allow the fish to run 45 miles above Troy. There is a bill now before the Legislature requiring all new dams erected within the State to be provided with fishways, of which there are a number of designs, but all of which have the same purpose, viz., to aid the fish to pass a waterfall or dam.

As to the results of the efforts so far made toward the propagation of salmon in the Hudson, it may be said that while it is too early to expect any large catch of fish, the number taken each year has been increasing. There is a law against catching the fish in nets, but they may be taken with hook and line, and one was thus caught at the Troy dam in 1886 which weighed 14½ pounds. There is a record of 134 being caught in 1888, from four to five hundred in 1889, while the season which will open on May 1 will, doubtless, be the most fruitful of all. The gentlemen who have in charge the work of stocking the Hudson River with salmon are emphatically of the opinion that the results so far are entirely satisfactory, and that there is no doubt whatever that the salmon will in time be abundant.

ELECTRICITY moves 288,000 miles per second; light moves 192,000 miles per second; a rifle ball moves 1,460 feet per second.

PATENT OFFICE SALARIES.

During several years past we have repeatedly called attention to the extremely inadequate salaries paid to important officials of the Patent Office. The necessity of increasing the wages in order to secure and retain in the bureau the services of skilled and experienced individuals is self-evident. At the present time the salaries are so low that the business of the Patent Office greatly suffers by the frequent withdrawal of efficient helpers, who would not think of leaving if adequate compensation were given. The interior working of the Patent Office is about as follows: When a man succeeds in passing the required preliminary examination in the sciences and enters upon an employment at the bottom of the ladder, that is to say, as third assistant examiner, he receives a salary of \$1,400. If, on further examination, by good conduct and success in acquiring useful experience, he rises a notch to the post of second assistant examiner, he gets \$1,600, then as first assistant \$1,800; finally, when by extended experience and long study he reaches the highest round in the ladder, that of principal examiner, he is paid \$2,500 a year. His responsibilities are now greatly increased, he is in fact, under the law, constituted both judge and jury, in respect to the grant of patents and the allowance of patent claims. There are few positions in the range of government service wherein scientific ability, knowledge of patent law, good judgment, keen memory, and the abilities promptly to exercise these qualities is so necessary as in the office of examiner. Every consideration of policy and justice requires that the salary should be generous and adequate. The bill now before Congress (H. R. 8,632) proposes to give principal examiners \$3,000, first assistants \$2,400, second assistants \$2,000, third assistants \$1,600, and fourth assistants \$1,400. These salaries are very moderate, and we urge upon Congress the immediate passage of the bill.

Astronomical Notes.

The Eclipse of the Eighth Satellite of Saturn as Seen at the Lick Observatory on November 1, 1889.—The eclipse of Japetus, the eighth satellite of the planet Saturn, was observed at the Lick Observatory on November 1, 1889. Its course was through the shadow of the outer ring, through the Cassini division, into the semi-shadow of the Crape Ring, into the deep shadow of the Crape Ring, and thence into that of the globe. During each interval of its progression through the rings, the satellite shone brightly in the sunlight. Owing to the short interval of time between the rising of Saturn and daylight, only a portion of the rare phenomenon was visible, when the satellite reappeared from the shadow of the globe and moved into the shadow of the inner bright ring, into which it disappeared. When it first emerged from the shadow of the ball, it appeared near the satellites Tethys and Enceladus, and grew brighter and brighter. After fifteen minutes it passed into the shadow of the Crape Ring, and decreased in brilliancy until it entered the shadow of the inner bright ring, into which it vanished. Mr. Barnard, who observed the eclipse or series of eclipses, deduces the following conclusions: "These observations, therefore, tell us that the Crape Ring is truly transparent, the sunlight sifting through it, that the particles composing the Crape Ring cut off an appreciable quantity of sunlight, that these particles cluster more thickly, or, in other words, the Crape Ring is denser, as it approaches the bright rings."

New Double Stars.—Among the double star discoveries at the Lick Observatory within the last year is a star of the seventh magnitude (D. M. 30°, 4,809) near 7 Pegasus; 28 Andromedæ; the fifth magnitude star 2 Andromedæ, a close pair, the components unequal and the distance only 0".8; 2 Piscium; W XXIII 803; a star of the sixth magnitude, 44 Cassiopeiæ, distance of the small companion 1".7; Σ 2,824, small star 11" distant; the star D. M. 63°, 1,618, companion at a distance of 4".3; Herschel's companion to ϕ Aquarii proves to be a close double star, distance of attendant 0".15; several new pairs of double stars in the Pleiades, including one near Alcyone, the two companions being separated by a distance of 0".3, and of the ninth magnitude; and another pair of the 11½ magnitude, distance 0".4, following Pleione (28 Tauri). Many stars supposed to be double are found to have minute companions. These include: Herschel's double star in the cluster and nebula Messier 8. The 36 inch telescope has shown that the largest star of Herschel's pair is a close pair; 67 Ophiuchi, known as a wide double star (54"), is found to have a faint companion at a distance of 6".8; the principal star (of the sixth magnitude) of the double star Σ 2,816 is seen through the large refractor with a minute companion at a distance of 1".5; and the star α Cassiopeiæ, to which Herschel ascribed a companion of the ninth magnitude at a distance of 63", is seen with a faint star at 17".5.

The double star γ Andromedæ and the binary star 7 Tauri are seen to be rapidly changing their companions approaching each other.

Photograph and Spectrum of Davidson's Comet.—The comet which was discovered by Mr. Davidson at Queensland on July 21, 1889, was photographed at the Lick Observatory by Mr. Edward E. Barnard, on July

30, with the new Willard lens, after an exposure of 90 minutes. The comet presents a round head and a fan-shaped tail, growing narrow toward the root. The photographic brilliancy of the comet was calculated, and found to be 10,000,000 times fainter than the full moon. This is the first time that the light of a comet has been measured with accuracy. The total amount of light given out from a comet may, therefore, be determined by frequent photographs, which will show its variations in brilliancy from day to day, and through this method a means may be found to discover the energy of the forces which cause the comets to emit more light as they approach the sun.

The spectrum observed with the 12 inch equatorial and the 36 inch refractor was found to be fainter than the spectrum of a star of the same relative size—the sixth magnitude—owing to the wide diffusion of light from the comet instead of its concentration into a single point. The coma resolved itself into three bright bands, resembling the carbon in the blue flame of a spirit lamp, while the nucleus presented a continuous spectrum.

The Markings on the Planet Mars.—M. Flammarion has recently contributed to the *Bulletin de la Société Astronomique de France* two long articles on the markings of the planet Mars, which are accompanied by a number of drawings of the planet, dating from 1659 to 1888. He attributes the changes which have taken place on the surface of Mars to the planet itself, after making allowances for variations in the methods of different observations, atmospheric influences on Mars and on the earth, and variations in instruments and in the position of the axis of the planet. His conclusions are based on the probable, but not yet proved, hypothesis that the dark markings on Mars represent bodies of water. He says:

"There are permanent markings on the surface of Mars, which in all probability represent seas, lakes, regions of water of various kinds, etc. (It has long been known that on this planet there are polar snows which melt in summer, clouds, and the vapor of water, shown by spectroscopic observations.) These markings are permanent; they are seen to-day in the same regions where they were observed in the seventeenth and eighteenth centuries. They are not atmospheric products, then, such as are shown, for example, on Jupiter. However, while they are permanent, they are not invariable. They change both in extent and in depth of tone, in different years, and, without doubt, during different seasons of Mars. There are some regions which are specially variable. These appear to hold a middle place between continents and seas, and to be marshy lands, which are in turn elevated above and submerged below a thin layer of water. The continents of Mars appear to be flat, and subject to inundations in nearly all their extent. The northern hemisphere is more elevated than the southern; the seas are chiefly in the southern hemisphere, and they do not appear to be deep. The evaporation on Mars is without doubt rapid and considerable. Millions of cubic yards of water pass readily from the state of vapor to the state of liquid, and millions of acres pass from the continental to the maritime aspect. Water is, perhaps, not the only agent concerned in these changes. The general order of things is very different on Mars and on the earth."

Accident at the New York City Terminus of the Hudson River Tunnel.


Early on the morning of Sunday, March 30, the caisson at the foot of Morton Street, which is the eastern starting point of operations on the Hudson River tunnel, was found to be on fire. It is supposed that a workman searching for leaks with a candle lighted some oakum used for calking the joints. The caisson was at once flooded to prevent its destruction. But after the fire was extinguished, it was found impossible to get it clear again. It was evident that the fire had caused a leak in the caisson, so that the water could not be expelled. Attempts were made to find the leak by sending down a diver, and much trouble was experienced, owing to the difficulty of access. It is hoped, however, that the damage will soon be repaired, and that operations will be again in full progress. The work is now in the hands of the English contractors, who are prosecuting it by means of a shield differing from anything hitherto employed on the work, and which is said to be new to American practice.

Instruction of the Blind in China.

Rev. W. H. Murray, a missionary at Peking, has devised a system for teaching the blind, and has reduced the Chinese language to 408 syllables. By this system the blind have been enabled to learn to read with marvelous facility. The blind themselves are employed in the stereotyping and printing of books, which are produced at an amazingly low rate, compared with books embossed for the blind in this country. Among the Chinese the blind are regarded with great consideration, and they are watched with intense interest when they read with their fingers from the books which they carry in their hands.

AN IMPROVED PRINTER'S GALLEY.

A printer's galley constructed to dispense with the ordinary beveled locking strip and quoins is shown in the cut, and has been patented by Messrs. Leonidas R. and Abraham D. Hoss, of Deer Lodge City, Montana. In one side flange of the galley are formed recesses in which are hinged the outer members of toggle levers,




HOSS' PRINTER'S GALLEY.

the inner members of such levers being hinged to a strip adapted to bear against the type, this strip at one end being fitted to ride in a dovetail groove in the end flange of the galley. The toggle levers mounted in the recesses at the side of the galley are preferably connected to heavy springs, as shown in the plan views, where they are represented in both folded and open position, thus pressing the type-holding strip in yielding contact with the column of type placed in the galley.

AN IMPROVED DOUGH KNEADER.

The device to facilitate the kneading of dough shown in the accompanying illustration represents an im-



MELENDY'S DOUGH KNEADING MACHINE.

provement on a formerly patented invention of the same inventor, Mr. Bryant H. Melendy, of No. 44 Grant Street, Battle Creek, Mich. A metallic plate is held in place by a screw on the transverse inclined partition at the rear of the trough, in the sides of which are suitable recesses for the trunnions of a roller, on one of which fits a crank arm. The upper ends of the recesses in which the trunnions are journaled connect with outwardly extending slots in which are held blocks fulcrumed on pins or screws in the side edges of a transversely extending front board, the latter being pivoted near its upper edge on screws in the sides of the trough, whereby the blocks and front board may be swung outwardly away from the roller, and the latter lifted out, when desired. Hooks on the outside lock the blocks and front board in place, the lower edge of the latter resting on the top of the roller. On a transverse support on the under side of the roller a scraper is adjustably secured, as shown in the small sectional view. The crank handle has a cross-shaped offset with different slots, whereby provision is made for readily lengthening or shortening the handle in relation to the trunnion. The kneader is secured to a table by means of a bracket with inwardly extending projections and a thumb screw.

ONCE more has the greatest natural gas well been struck. This time it is in Ohio, between Stuartville and Van Buren. The gauge shows over 35,000,000 feet of gas per day.

The Bailey Disinfectant.


A very simple method of continuously disinfecting sanitary fixtures is being introduced under the above name. A very efficacious agent fills solidly a tin box with perforated cover. When placed in water the contents slowly dissolve, the perforated cover preventing escape of the solid. The water in which this is immersed is turned pink, and acquires strong deodorizing and disinfecting properties. A half-pound can will make over one hundred gallons of disinfecting fluid, and when placed in the tank of an ordinary water closet will, it is said, last from eight to twelve weeks. For use in flush tanks, the box is thrown into the water and left there, the string which is attached to the box being fastened to a nail or elsewhere, so as to prevent the box from interfering with the outlet valve. The Bailey disinfectant has been used in the office of this paper for some time past, with satisfactory results, and being non-poisonous and non-odorous, it can be used liberally in preparing water for flushing vessels, washing ice chests, and in warm weather its many uses will be obvious wherever a disinfectant is needed. It is prepared and furnished by the Bailey Disinfectant Co., of Boston, Mass., who will be pleased to furnish any further information.

Power Looms for Weaving Velvet.

French improvements consist in a device for working the healds. Instead of having cams of different forms, arranged as usual on an ordinary shaft, according as wanted, a single drum is used, and on this, at required points, segments cut in a uniform manner at both extremities are brought—the only difference between them being the length of the circumference they occupy on the drum. The drum is channelled with circular grooves, into which the segments adjust, and in which they are fastened by small bolts. The holes receiving these are arranged on the drum at irregular intervals, each corresponding to a passage of the tram. A second improvement relates to the knife, which, in the double looms, may separate the two tissues by cutting the nap which unites them. The knife, mounted on a runner, which is transverse to the loom, is generally worked by a string passing on return pulleys, and the ends of which are attached to one of the two necks of the pulley; this latter has a circular to and fro movement which is sufficient to make the knife pass from one side to the other of the loom. This to and fro motion is obtained by means of a cam acting on a slide, this latter acting in turn on a pinion which transmits its alternate motion to the pulley.

AN IMPROVED DRAINAGE AND SEWERAGE SYSTEM.


In the system herewith represented, which has been patented by Mr. William Hallock, of Middletown, N. Y., the manholes are arranged on levels and connected so as to seal the pipes to prevent emptying, except as to the surplus entering the reservoir or manholes, the first illustration showing the system applied to low-level lands or lands flowed by tide water, and the second illustrating another arrangement for sewerage. In the first case the tide water is confined by means of embankments, etc., and a small reservoir is constructed at a proper distance back from the river or other body of water, to receive any remaining tide water, and all water from ditches, small streams, etc. A pipe leads from this reservoir to a deeper manhole, and from a lower level in this manhole a pipe leads to a discharge point below the low-water mark, there being fitted in the latter pipe a cut-off gate to be closed during the inflow of the tide and open after the tide has receded below the level of the water in the manhole, and this being repeated with each tide until the drainage is complete. In draining a long distance from the low lands to the river, a succession of manholes should be employed between the reservoir and the river, the discharge from the last one being entering above the entrance of the inflow pipe. In the second figure is shown a reservoir or cesspool located on a rise of ground, the pipe leading therefrom to successive manholes and thence to a discharge point in the main sewer, there being a cut-off for use when desirable between the last manhole and the sewer. In operation the flow must first be started throughout the whole system, by pumps or other means, to fill all the pipes and manholes, the latter being filled above the entrance of the pipes to seal them and at all times keep the pipes full, forming of the whole system a perpetual siphon.



HALLOCK'S DRAINAGE AND SEWERAGE SYSTEM.

AN IMPROVED CAR COUPLING.

The coupling shown in the accompanying illustration is automatic in its action, and the draught of the coupling bar is designed to be equally distributed on the two jaws of the drawhead. Fig. 1 shows the device in coupled position and Fig. 3 when it is adjusted for coupling, Fig. 2 being a view of the coupling bar. At



SEAY'S CAR COUPLING.

the rear of the vertical recess in the drawhead, and near its base, is a shoulder adapted to engage a knob on the end of the coupling bar, by which the latter is supported in the position shown in Fig. 3. This projection is of such shape that the jar ordinarily produced by the coming together of two cars will release the coupling bar, when, as it drops, the arms on its outer end will engage the hooks on the opposing drawhead. Uncoupling is effected by means of an arm pivoted at the rear of the vertical recess in the drawhead, and having a forwardly and upwardly extending portion adapted to engage the under side of the coupling bar and raise it vertically, this arm being operated by means of a shaft extending to the sides of the car, where it is provided with crank handles.

This invention has been patented by Mr. Samuel Seay, Jr., of the U. S. Army, Willets Point, L. I., N. Y.

Red Glass.

A new red glass in Germany appears to be attracting a good deal of attention. Besides its use for the manufacture of bottles, goblets, and vases of various kinds, it will be found applicable in photography and in chemists' and opticians' laboratories. This glass is produced by melting in an open crucible the following ingredients: Fine sand, 2,000 parts; red oxide of lead (minium), 400; carbonate of potash, 600; lime, 100; phosphate of lime, 20; cream of tartar, 20; borax, 20;

red oxide of copper (protoxide), 9; and binoxide of tin, 13 parts. By a single melting a transparent red glass is thus obtained of a very fine quality, of which various objects can be manufactured directly, without it being necessary to submit the glass to a second heating with the view of intensifying the color.

AN IMPROVED COTTON CULTIVATOR.

An implement designed to effectually scrape the surface of the ground between rows of cotton plants at each side of the center, and throw the dirt upward over the roots, is shown in the accompanying illustration,

**BAILEY'S COTTON CULTIVATOR.**

and has been patented by Mr. William W. Bailey, of Altus, Ark. The stock of the implement is made in two sections, each consisting of a straight metal bar or beam, the forward ends being bolted to the clevis and the rear ends curved downwardly and forwardly, and twisted to give the proper incline to the front scrapers, which are attached thereto. The right hand section of the stock is shorter than the left hand section, the foot of one being about six inches in advance of the other. The inner edge of each scraper is turned up at the bottom to throw the grass and dirt in the direction of the center of the rows. The foot of each stock section has a shoe, rigidly attached at its forward end to the extremity of the curved portion of the stock, a brace rod being bolted to the rear end of the shoe and to the outer face of the stock. The handles of the implement are in the shape of ordinary plow handles, their forward ends being secured to the rod connecting

**THE LOVELL DIAMOND SAFETY BICYCLE.**

the rear horizontal portions of the stock sections. This rod allows the stock sections to be drawn close together or carried quite a distance apart. Attached to each of the sections, on its curved portion, is a rearwardly projecting curved arm, adapted to form auxiliary stocks, to which any approved form of shovel plow may be attached, these plows coming immediately behind the front scrapers and breaking the ground at or about the center of the scraper track, while throwing the dirt previously scraped upward and outward to the roots of the plants. If it is desired to simply scrape the ground between the rows of plants, the auxiliary stocks carrying the shovel plows may be readily detached.

Progress of Ramie.

In the treatment of fibers, such as ramie, hemp, flax, etc., in which the fibrous is cemented to the liqueous portion of the stem, and the separate fibers cemented to each other, decorticating machinery alone, it is stated, is never likely to be entirely satisfactory. The solution of the problem is likely to be found in a combination of mechanical and chemical methods. Mr. Dezwarte, an eminent French chemist, has discovered such a process, by which he claims to be able to decorticate and degum ramie in any quantity, without injury to the fiber, in about two hours. Beautiful specimens of various fibers treated by his process have been prepared as substitutes for silk, cotton, woolen, etc. M. Hermant, C.E., Professeur et Chef des Travaux Chimiques à l'Institut Industriel du Nord, has tested this process, and certified that the cost of treating 100 kilogrammes of ramie will be from 6 to 8 francs, and, if treated on a large scale, much less; that the time required for decorticating is about one hour, and for degumming about the same length of time; that the process is not only very practical and economical, but must be a great success, and that the materials thus prepared can be spun on flax ma-

chinery, dry or wet (cold). John Ronald Shearer, of London, thinks the ramie field of the future will, undoubtedly, resemble the sugar cane field of to-day, light tram lines serving to carry the stems to the central depot for treatment in the cheapest and most expeditious manner.

THE LOVELL DIAMOND SAFETY BICYCLE.

This bicycle combines all the features and improvements of the modern safety. The frame is of the popular diamond shape, is cold-drawn of weldless steel tubing, and steel drop-forged parts. The tubing used is imported from the Credena Iron and Steel Works, of England. The wheels are 30 inches, with $\frac{3}{8}$ inch crescent-shaped rims. Each wheel has 40 direct spokes of No. 11 steel wire. The hubs are drop-forged, of steel, and the tires of the best quality of Paragum rubber. Special attention has been given by the makers to the chain, and they have adopted an entirely new and original method for adjusting it, which does not in any way affect the strength of the chain or the bracket. The chain is of English pattern, and has been used in England with much success. It is so constructed that its bearing surface is so small that it reduces the friction to a minimum. Each chain is run on a testing machine before leaving the factory, and is practically non-stretching and needs but little adjustment. To obviate the trouble and inconvenience of oiling the chain when new, each one is boiled in a preparation of oil, which thoroughly lubricates all joints and produces an easy-working chain. The device for adjusting the chain is original and effective. The drop-forged steel bracket, the crank shaft, and ball bearings swing on a separate steel axle, which has a long parallel bearing between the heavy forked-shaped section in the frame. This forked-shaped forging is brazed solidly to the frame, and is a permanent fixture. The motion of the bracket being fore and aft in the solid section of the frame, does not admit of any lateral motion. This bracket is adjusted by a nicked rod with nut and set nut. The main feature of this adjustment is that the bracket is held stationary, while on other front chain adjustments there is a tendency, when the power is applied, to spring the front bracket sideways. The saddle, which is of the suspension pattern, is another novel feature, and has a combination front and rear spring, which makes riding easier, and also an arc adjustment allowing the saddle to be placed at any angle at the wish of the rider. The brake, which is very powerful, is of the direct plunger pattern. Ball bearings are used with every running part of the machine. The front wheel runs on 18 balls $\frac{5}{16}$ of an inch diameter. The crank shaft bearings contain 24 balls of same size. Each pedal bearing has 22 $\frac{3}{8}$ inch balls. Owing to the great strain on the rear wheel, owing to three-fourths of the weight of the rider being placed on it, a separate set of bearing cases of special design has been made, which is bolted in the section of the frame in such a manner that no matter what weight or strain is brought upon the wheel, it does not cramp the bearings or interfere with ease of running. The machine is finely finished, each enameled portion of the wheel receiving three coats of enamel, thoroughly baked on the frame, wheels, mud and chain guards being similarly treated. The handle bars, brake and brake lever, nuts, bolt ends, and stay rod are handsomely nickel plated. The weight of the cycle is 49 pounds.


This machine is manufactured by the John P. Lovell Arms Co., Boston, Mass.

Luminous Fountains.

For several months past the Grand Hotel at Paris has transformed its fountain in the courtyard, where celebrities of all nations are wont to congregate, into a luminous fountain, flashing at night with all sorts of varied colors. A rich Parisian, M. Gaston Menier, has fitted up one of these fountains on his dining table, the works of which are smothered in a huge bouquet, a tasteful and novel addition to the enjoyment of a dinner.

**IMPROVED COMPRESSED AIR PASSENGER CAR.****A MACHINE FOR DISTRIBUTING POISON ON PLANTS.**

The accompanying illustration represents a machine for dusting poisonous powders on growing plants, such as cotton or potatoes, to rid them of insects. It has been patented by Messrs. George R. and John W. Brown, of Pledger, Texas. The axle of the sulky which supports the operating parts is bent upward or arched at the center to pass over the plants, and a main countershaft operated from one of the ground wheels imparts motion to a fan blast and poison agitator mechanisms. The hopper containing the poison is supported at the rear end of the machine, its tapering

**BROWN'S POISON DISTRIBUTOR.**

bottom opening into a discharge pipe which enters the top of an air blast pipe connected with the casing of a fan, the poison discharge nozzle being fixed in the position shown, or adapted for adjustment to allow of the discharge of the poison downward to either side. The discharge of the poison is controlled by a valve actuated by a rod connected to a lever fulcrumed to the machine frame, and in reach of the attendant on the seat, there being a catch plate with a series of holes to receive a pin, by which the valve may be locked at the required adjustment. Within the hopper is an agitator rotated by bevel gears from a shaft at its top, receiving its motion through a sprocket chain from the main countershaft, the air blast fan being also driven by a chain belt from the same shaft. By the disengagement of a clutch, by means of a lever within convenient reach of the driver, the machine is allowed to travel forward or backward without operating the main countershaft and its connected poison-distributing mechanisms.

The machine is being manufactured for the inventors by Messrs. Avery & Son, agricultural implement manufacturers, of Louisville, Ky.

COMPRESSED AIR PASSENGER CARS.

The use of compressed air as a motor power for street cars has heretofore not proved commercially successful, owing chiefly to the very high pressure employed. These conditions entailed a great addition to the amount of dead weight that had to be moved. We need hardly point out that the loss in compressing air increases rapidly, the higher the pressure goes. In the systems to which we refer, the stored pressure varied from 450 pounds to 1,500 pounds per square inch, although a pressure of but little over 10 pounds was sufficient to propel the car. To further spin out the air supply, heating apparatus was applied, involving a still further load of dead weight. These arrangements necessitated the use of a separate locomotive, or an addition to the car equivalent to a separate locomotive, besides entailing the excessive cost of compressing the air to such high pressures. With these drawbacks it is not surprising that the application of compressed air in this manner did not work out with satisfactory economy in actual practice. We have, however, recently investigated the working of a highly ingenious system of tram car propulsion by means of compressed air, which promises to solve the problem. This is Hughes & Lancaster's low pressure compressed air system, which we have had the opportunity

of examining at Chester. In this system the motive power is compressed air stored in the car itself at the comparatively low pressure of from 150 to 170 pounds. The air reservoirs on the car, when exhausted, can be recharged with a fresh supply of compressed air automatically, at frequent points along the route. The motor, which is one of Rigg's rotary engines, is also carried on the car, thereby avoiding the necessity of a separate locomotive engine. The car moves along without any visible agency, the machinery being all covered in and out of sight underneath it. The air need only be compressed to one-third or even one-tenth of the pressure previously used, and is stored in light receivers which can be made to form portions of the main framework of the car itself.

In carrying out this system, a compressed air pipe is laid under the road or footway along the tram route, and is kept charged with compressed air by means of air compressors at a central depot, and branches are led off at suitable points to valves fixed under the roadway, close to the tram rail. Each valve is inclosed in an iron box, covered with a lid level with the roadway, like an ordinary street manhole cover. A short piece of grooved rail, about 15 or 20 feet long, is laid alongside the tram rail at each side of the box. When the driver wishes to take up a fresh charge of air, on approaching one of these valve boxes he lowers a plow-shaped scoop into the groove, the point of which inserts itself under the front edge of the lid, which it gradually turns back upon its hinges, as the car moves along, until full open. This arrangement will be seen on reference to our engraving, which shows the tram car we recently saw tried at Chester. The car being then over the open valve box, a valve which is carried on the horn plate is free to engage with the valve in the street box. The car valve is guided into the right position for passing on to the arm of the street valve by means of a projection which passes into a guide formed on the inside of the cover. The car valve is double-ended, so that one end is always left in position for entering, whatever direction the car may be going, and the street valve is provided with four arms, so that it is always left with its arms at the right entering angle for either direction when the car leaves it. As soon as the car passes clear of the valve box, the lid closes of itself, leaving the roadway free from any obstruction. Generally the passage of the car through the recharging valve at reduced speed suffices to refill the receivers with pressure sufficient to carry on to the next recharging valve, but the driver may pull up at the valve, and stand until the full pressure is reached, which occupies but a very few seconds. On single lines the street valves would be placed at the passing places where the cars frequently have to stop, and in all cases at the regular stopping places. On heavy gradients the street valves would be placed at more frequent intervals than on the level. It is these arrangements, exceedingly simple and effective as they have been proved to be in actual practice, which enable the car to be worked with low pressure air, and the separate locomotive and heavy receivers to be dispensed with.

We append the particulars of a careful series of experiments made by Professor Unwin, F.R.S., on the Chester tramways with the Hughes & Lancaster system, to ascertain the consumption of air on the different inclines. Some of the trials were made during wet, greasy weather, and the results necessarily varied from sundry other causes, such as interruptions, unexpected stoppages and startings, etc. The foot pounds of work done per pound of air used were found to vary from 5,456 foot pounds to 28,048 foot pounds, including all losses from leakage, etc. Taking 14,000 foot pounds as a fair average, and calculating the consumption of air on the Chester line as a representative one, upon this basis, we have the following results for the cost of motive power: Weight of 28 passenger car, including engine, air receivers, and full load of passengers=5 tons 9 cwt. Length of line=3 miles nearly. Gradient varying from 0 up to 1 in 18.5. Consumption of free air—Outward journey 1,984 cubic feet, return journey 2,523 cubic feet=2,255 cubic feet free air average per journey. Say 2,300 cubic feet free air on the average run. Car ran 309 yards up City Road incline in 1 minute 10 seconds—a speed of 9 miles per hour. Average duration of journey one way=say 20 minutes on consumption of 2,300 cubic feet of free air. The air will be compressed to 170 pounds to insure the rapid filling of the car receivers up to 150 pounds. Power required to compress 1 cubic foot of free air to 170 pounds above atmospheric pressure in full adiabatic compression, including engine friction, leakage, clearances, etc.=9,800 foot pounds; $9,800 \times 2,300 = 22,540,000$ foot pounds to compress the whole volume of air used during the 20 minutes' run: $22,540,000 \div 20 = 1,127,000$ foot pounds=34 gross horse power at central compressing station for one car. Coal consumption=say 3 pounds per horse power per hour=102 pounds, or say 1 cwt. per hour, say at 10s. per ton, or at 6d. per cwt.=6d. per hour, *i. e.*, for 9 miles. Hence cost of fuel= $\frac{1}{3}$ d. per car mile. With triple expansion compressing engines consuming $1\frac{1}{2}$ pounds coal per horse power per hour, the cost would of course be only $\frac{1}{6}$ d. per car mile.

Examinations in the Revenue-Marine Service.

The following is the present standard of examination for promotion in the Revenue-Marine as ordered by the Secretary of the Treasury:

FOR PROMOTION OF THIRD LIEUTENANT TO THE GRADE OF SECOND LIEUTENANT.

Navigation.—Day's work; course and distance by usual methods. Latitude by meridian altitude of the sun. Latitude by one altitude of the sun near noon. (Cir. mer. alt.) Latitude by polaris. Longitude by chronometer. Rating chronometer by equal altitudes. Variation of compass by amp. and azimuths. Application of local deviation of compass. Use of charts. Adjustment and use of quadrant and sextant. Methods of determining errors of compass. Marking and use of hand and deep-sea lead lines. Marking and using log line. Lights, buoys, and day marks of station where candidate last served.

Seamanship.—Rigging shears and stepping masts. Rigging ship, hemp or iron rigging. Bending and unbending sails. Various evolutions of a vessel, and management in bad weather. Coasting and "Rules of the Road."

Revenue Law.—Forms and usages under the revenue laws of the United States, and duties in boarding and examining vessels.

Gunnery.—The general exercise of broadside and pivot guns, and small arms, as provided in the Revenue-Marine.

Miscellaneous.—English composition as evinced in letter writing and formulating official reports. Signaling.

FOR PROMOTION OF SECOND LIEUTENANT TO GRADE OF FIRST LIEUTENANT.

In addition to a general review of the foregoing topics:

Navigation.—Latitude by meridian altitude of a star, Polaris or other. Time at sea by a planet's altitude. General knowledge of the use of coast survey tide tables. Causes of tides as given in standard epitomes of navigation.

Seamanship.—Various dimensions of standing rigging, hemp or iron, for vessels of the Revenue-Marine Service. Dimensions of spars for revenue vessels. Rigging purchases for taking in heavy weights. Sails, kinds and numbers of canvas for various purposes. Anchors and chains, kinds and sizes, for vessels of the Revenue-Marine Service.

Revenue Law.—General knowledge of revenue laws and navigation laws.

Miscellaneous.—Stationing crew: general, and fire quarters. Police and discipline on shipboard revenue-marine.

FOR PROMOTION OF FIRST LIEUTENANT TO THE GRADE OF CAPTAIN.

Revenue law and navigation laws—good general knowledge. International law—a general knowledge as embraced in Woolsey's Treatise. Method of harbor surveying, as given in standard epitomes. Method of determining the seaworthiness of a vessel. Conditions necessary to make a vessel seaworthy. Stowage and trim. A general knowledge of the principles of steam engines, and the proper care of engines and boilers of vessels when laid up or in commission. Nomenclature of the parts of vessels, wooden or iron.

FOR PROMOTION OF FIRST AND SECOND ASSISTANT ENGINEERS.

Elementary Branches.—Composition, orthography, and penmanship as shown in a draft of an official report. Arithmetic, including percentage, cube root, arithmetical and geometrical progression. Elementary examples in algebra, and application of logarithms. Mensuration: Capacities of the principal solids and of spaces of irregular section in all directions. Practical examples: Relative consumption of fuel at different speeds. Different sizes of engine to produce the same power. Loss by blowing. Saving by heating. Quantity of condensing water. Time required to raise saturation of water in boiler. Mechanics and physics. Application to safety-valve with simple and compound levers. Friction. Laws of falling bodies.

Steam.—Definitions in respect to heat and steam. Methods of utilizing heat for producing motive force. Mechanical equivalent. Properties of steam. Theory of expansion, with illustrative examples.

Indicator Diagrams.—General features in relation to set of valves and efficiency of steam. Typical forms. Calculation of power and evaporations.

Boilers.—Different types, with advantages and disadvantages. Details of management and repair. Customary proportions. Composition of sea water, scale, coal, and products of combustion. Corrosion and methods of prevention. Salinometer.

Engines.—Types. Advantages and disadvantages. Features of management. Action in case of accident. Tests. Repair. Preservation.

Valves.—Poppet and slide valves. Details of construction. Method of setting. Forms of cut-off. Link motion and equivalents. Limits of expansion.

Engine Details.—Different types of condensers. Precautions in management. Air, feed, and bilge pumps. Steam gauges and principles involved.

Inspection.—Strength and properties of different grades of boiler plate, of bar iron, cast iron, brass, copper, and principal woods. Strength of riveted joints. Rules of Supervising Inspectors as to thickness of boiler shells and circular furnace tubes, also as to size and spacing of braces. Methods of testing iron and steel. Construction of built-up cranks. Methods of lining the different parts of engines.

Propellers.—General principles of reaction. Efficiency of paddle-wheels and screw propellers. Proportions relative to the work to be done. Mechanical construction of different paddle-wheels. Relation of pitch, surface, and angle to diameter of screw propellers. Methods of moulding, boring, and securing same.

1. Candidates will be required during the examination to make a statement of the general courses of study and reading which they have pursued since the previous examination, and are to present letters from the commanding officers and chief engineers of vessels with which they have been connected for three years previously.

2. All examinations will be conducted in writing, and the name of the candidate signed to his work.

3. A physical examination will precede the professional one, and if the candidate is found to be permanently physically disqualified for duty, the examination will proceed no further.

4. The official records of officers will be considered by the department before final action is had on the result of their examination.

5. No officer will be permitted to waive examination, and failure to appear and undergo examination, after being ordered, will be considered as equivalent to resignation, and be so treated.

6. Any officer failing to pass the standard required for promotion will be given a second examination, when, if he shall again fail, he will be considered "out of the line of promotion."

Recent Recommendations.

Mel Rosæ.—E. Daenen, a Brussels pharmacist, states that by the following method he obtains a bright rose-colored, transparent, and delightfully odorous preparation. Infuse 100 grammes of bruised red rose petals with 400 c. c. boiling distilled water for six hours. Strain, again infuse for six hours in 200 c. c. of boiling distilled water, and repeat, if necessary, with another 200 c. c. Mix the infusions, and evaporate to 170 grammes, filter, and in the filtrate dissolve 500 grammes of clarified honey and 330 grammes of white sugar.

Insect Powder is, according to a Continental house, adulterated sometimes with the flowers of *Chrysanthemum leucanthemum*, but this should not be difficult of detection, as, according to Unger, true insect powder yields 6.9 per cent of ash, whereas the powder of *C. leucanthemum* flowers yields as much as 10.1 per cent of ash containing manganese, a constituent which is not found in the other.

Heliotrope Perfume.—Mr. E. Campe proposes the following formula in the *Chemiker und Drogist* for a perfume for retail sale:

Oil of bergamot		1½ oz.
Vanillin		8 grs.
Tincture of benzoin		2 drms.
Rectified spirit		60 oz.
Solve.		

Depilatory.—According to *Pharm. Centralhalle*, an effective depilatory is made by mixing 2 parts of barium sulphide with 1 part of starch and 1 part of oxide of zinc. The barium sulphide can be made fresh, as required, by mixing powdered barium sulphate with its own weight of charcoal, making into a stiff paste with linseed oil, and forming the mass into a roll like a sausage, which is to be placed in the fire until deflagration is complete. After cooling the mass is to be powdered, and mixed with the starch and oxide of zinc. The depilatory is to be made into a paste with water before use, spread on the skin, and allowed to remain for ten minutes. The success of depilatories greatly depends upon the freshness of the sulphide employed.

Preparation of Oxygen.—According to Volhard, small quantities of oxygen can be prepared in a Kipp's apparatus by the action of hydrogen peroxide on bleaching powder. Nitric acid is added in sufficient quantity to neutralize the lime in the bleaching powder. The oxygen contains a trace of chlorine.


Quinine Pills.—M. Edmond Sohet recommends in *Bull. Soc. Roy. Phar. Brux.* the use of 3 drops of lactic acid to 16 grains of quinine sulphate. This, he says, makes an excellent pill mass, and the excipient is equally suitable when other ingredients than quinine form part of the pill mass.—*Chem. and Drug.*

Chevreul's Succession.

The chair of chemistry at the French Museum, one of the places occupied by Chevreul to his death, will soon have an official occupant. On March 3 the Academy of Sciences selected as its first choice for the position M. Arnaud, second M. Maquenne, and sent the names to the minister for his decision. The nomination is equivalent to the appointment of M. Arnaud, who at one time was an aid to Chevreul.

AN IMPROVED PENCIL SHARPENER AND HOLDER.


The accompanying illustration represents a device especially designed for connection with school slates, to hold the pencil when not in use and afford ready means for sharpening it. It has been patented by Mr. Henry Fancourt, of Opoho, Dunedin, Otago, New Zealand. The device consists of a plate, preferably of steel or other suitable metal, adapted to be secured on the wooden frame of the slate, and having curved projections extending over one edge to form a convenient holder for the pencil. The plate has a roughened surface on which to sharpen the pencil, and several such

**FANCOURT'S PENCIL SHARPENER AND HOLDER.**

plates may be employed, each having a differently shaped roughened surface, for sharpening, pointing, and smoothing the surface.

AN IMPROVED CHECK PUNCH.

A punch for cutting figures and characters out of a check or other paper, mainly designed to prevent the changing or "raising" of the sums which may be called for by such paper, is represented in the accompanying illustration and has been patented by Mr. Alvin V. Lane, of the Dallas Savings Bank Safe Deposit, Dallas, Texas. The clamping plate to hold the check in position has a central aperture coinciding with a similar opening in the table below, the plate being hinged at its rear and having a rearwardly extending arm, a spring bearing on which holds the plate normally pressed down. In standards arranged in a circle in the casing are pivoted a series of top and bottom levers, the free ends of which are adapted to pass through the openings in the center of the table and the clamping plate, each top lever carrying a punch and the bottom one a die, the die and punch of each lever of a pair being a counterpart of the other. These levers are preferably arranged in the order of the figures from 1 to 0, except that the central one is made to cut a star, a dollar mark, or other character. Each pair of top and bottom levers representing the figures is connected together, so that the levers thereof will approach each other simulta-

**LANE'S CHECK PUNCH.**

neously on the pressing of the finger piece at the top, the levers being immediately returned to their normal position by the action of a spring after the character has been cut in the paper. The central pair of levers, carrying a punch and die for cutting a star or dollar mark, is also connected to a bar adapted to be engaged by an arm on a shaft journaled transversely in the casing, and having at its outer end a hand lever. On this shaft is also another arm engaging the rearwardly extending arm of the clamping plate, which is raised to receive and clamp the check or paper to be stamped by slightly turning the lever, while a further turn of the lever causes the dollar mark or star to be cut in the paper. Following this, the figures representing any desired sum are cut in their proper order by pressing on the different finger pieces at the top. The lower one of the two feed rollers, through which the paper is passed, is operated by a feeding wheel to move the paper forward one notch for each complete motion of either pair of levers, thus presenting a new space for

the cutting of each following figure. To remove the check, the hand lever at the end of the casing is turned backward, when it first cuts the star, dollar mark, or other character, at the end of the row of figures, and then raises the clamping plate to release the paper.

Coffee as an Antiseptic.

Dr. Luderitz has recently made a number of observations on the destructive power of coffee upon various microbes. He found that the organisms all died in a longer or shorter period—e. g., in one series of experiments anthrax bacilli were destroyed in three hours, anthrax spores in four weeks, cholera bacilli in four hours, and the streptococcus of erysipelas in one day. It was, however, remarkable that good coffee and bad coffee produced precisely similar effects. He believes that, as previous observers have suggested, the antiseptic effect of coffee does not depend on the caffeine it contains, but on the empyreumatic oils developed by roasting.—*Lancet*.

Germ.

The following are abstracts from a paper by A. Arnold Clark, Lansing, Mich., as reported in *The Sanitary News*:

"The germs of cholera and typhoid fever enter the body through the water we drink and seek the intestinal tract. It is probable that typhoid fever cannot be communicated through the air which we breathe unless the germs in some way find their way into the stomach.

"Typhoid fever is not always spread by the drinking water. There was a severe outbreak of the disease at the State prison in 1888. The State board of health went to investigate. A bottle was exposed over the entrance to the sewer, and Dr. Vaughn afterward found the germs of typhoid fever in the sewer air collected in this bottle. Dr. Baker also carried away some germs, but his were collected in his mouth and as a result he had typhoid fever, though he did not eat or drink at the prison. It is probable, however, that the germs in some way found their way into his stomach. The germs of diphtheria, scarlet fever, and consumption, on the other hand, enter the body through the air which we breathe, the germs of diphtheria finding a favorite soil in the membrane of the throat, the germs of consumption in the lungs.

"These little rod-shaped germs which cause typhoid fever have been found in the water by typhoid patients. These germs have been made to grow in beef broth, and inoculated in dogs, a regular run of typhoid fever has been produced the same as in man. The other little rod-shaped germs which cause consumption have been found in the sputa from consumptive patients—yes, on the walls of rooms inhabited by consumptive patients; these germs have been sprayed into the air, dogs have been placed in the inhaling room and compelled to breathe these germs and they have afterward died of consumption.

"In other diseases animals have not been inoculated with the germ, indeed the germ has not been isolated with certainty, and yet we know that these diseases are caused by a living germ which multiplies and reproduces after its own kind.

"Two or three years ago a Pullman car conductor came in contact with the germs of small-pox in his car near Chicago—passed through on the Grand Trunk to Montreal—and was taken sick with the disease. No pains were taken to kill the germs, the ignorant inhabitants refused to vaccinate, declaring it a 'wicked attempt to thwart the will of the Almighty,' and in a few months over 3,000 people in Montreal died of small-pox as a result of the one case.

"It was carried to different parts of the United States; Michigan,


the most exposed of any State, escaped, because Michigan had at her great ports inspectors of travel who vaccinated all who came through, and disinfected all clothing, thus killing the germs.

"Every day in the week there are cases of diphtheria and scarlet fever in this State where the germs have been carried in the hair or clothing, where they have been carried long distances by letter, where they have lingered in the bedding or carpet, or have been hiding for years in the rubbish of the garret, as vigorous and vicious to-day as when they first emanated from the body of the infected person."

THE great chimney of the Clark Thread Works, Newark, N. J., was struck by lightning twice, the strokes being 15 seconds apart, on the morning of March 28 last. The exterior of the structure was badly damaged, but it is believed the inner walls are uninjured. Repairs are now in progress. The chimney had no lightning rod.

AN IMPROVED STOVE-PIPE SHELF.

An adjustable stove-pipe clamping collar, having bracket arms with detachable shelves, and arms adjustably connected to the bracket arms, for convenience in household use, is shown in the accompanying illustration, and has been patented by Mr. Edward M. Longyear, of Fly Mountain, N. Y. The collar has two hinged sections, in which slide other adjustably connected sections, to enlarge or diminish the circumference of the collar, whereby it may be secured on any sized pipe by means of a bolt and wing nut, the collar itself being formed of a flexible malleable metal, enabling it to conform to the shape of the pipe. Each bracket arm has a narrowed portion terminating in an upturned hook, which, with shoulders, curved recesses and grooves in the arm, facilitate the quick attachment thereto of the suitably formed shank of a stove-pipe shelf, which may thus be supported in horizontal po-

**LONGYEAR'S STOVE-PIPE SHELF**



sition or held suspended from the shelf as shown in the illustration. This shelf has legs, so that when detached from the bracket arm it may be used as a sad iron holder, or to support various articles, its shank then serving as a handle. One or more detachable arms are also provided for the support of towels and similar articles, each having a shank similar to that of the shelf, whereby they may be readily attached to or detached from the bracket arms.

The Australian Rabbit Pest.

A good deal of interest is being centered in the colossal efforts made by the Victorian government for the suppression of the rabbit pest in that colony. In upward of 100 shires in the northern and western districts of the colony simultaneous action is to be taken for the destruction of the rabbits, in accordance with the Rabbit Suppression Act, recently adopted by the Legislature. Poisoned grain is to be largely used, and it is estimated that fully 75 per cent of the rabbits will be killed.—*Pall Mall Gazette*.

A DEVICE FOR ATTACHING COST OR PRICE TICKETS.

A simple and convenient safety pin wherewith cost or price marked tickets may be readily attached to goods is shown in the cut, and has been patented by

**SAFETY PIN FOR ATTACHING COST OR PRICE TICKETS.**

Mr. George L. Hohnstedt, of Urbana, Ohio. It is preferably made of a single piece of non-oxidizable wire, pointed at the ends, and bent in the manner shown, to facilitate the insertion and disposing of the wire limbs, so that the points may be made to approach each other and the loop portion folded down upon them.

THE CYCLONE OF MARCH 26, 27, AND 28.

Starting eastward from the neighborhood of the Great Salt Lake, in Utah, on March 26, a storm of rain, snow, and wind, of almost unprecedented magnitude, swept over the country, occupying three days in its

Kentucky and in the southern portion of Illinois and Indiana, where rain fell abundantly and the wind was very high. The Signal Service office reports that the storm traveled at a speed varying from thirty to sixty miles an hour. During the afternoon and night of

One of these tornadoes, by far the most violent of all that have been reported, passed through a portion of the city of Louisville, Ky., between 7:15 and 7:30 P. M., causing great destruction of property and loss of life, those who were killed outright numbering, un-



MAP OF LOUISVILLE, SHOWING PATH OF STORM. (The V-shaped figure near middle of map includes the district shown on the front page.)

passage, and stretching from the Rocky Mountains to the western base of the Alleghanies and the basin of the St. Lawrence. The northern limit of its force was in the States of Nebraska, Iowa, Minnesota, Wisconsin, and Illinois, where the snow-fall was heavy, but the storm was felt in its greatest severity in Tennessee and

March 27, when the storm had crossed the Mississippi River, there were developed a large number of severe and very destructive tornadoes, a good many of them in Tennessee and in southern Illinois and Indiana, but the greater portion, and those of the most violent character, were in the State of Kentucky.

doubtedly, over one hundred, while more than that number were wounded. Our illustrations, from drawings made by our own artist and photographs, bring vividly before the mind the extent of the ruin effected and the terrible power manifested by the tornado, all in a space of time not exceeding ten minutes, to which




DESTRUCTION AT ST. JOHN'S EPISCOPAL CHURCH, FRONTING BAXTER PARK.—(From a Photograph by Elrod.)

period all accounts agree in limiting the time of its passage through the city.

The tornado entered the city from the southwest through the suburb of Parkland, around which the

illustrations. The site of the building is also indicated at A, in our first page picture. A number of organizations were holding meetings in the building at the time, and none had an opportunity to escape, so sud-

denly, Market, Jefferson, Walnut, Madison, and Chestnut. In the latter street the Third Presbyterian Church was completely demolished, its steeple being lifted bodily and carried diagonally across the street, where it was




LOUISVILLE—WRECK OF THE UNION DEPOT.—(From a Photograph by Klauber.)


Ohio River bends to the southward, and thence passed diagonally in a northeast direction, cutting a path nearly two miles long, as indicated on the accompanying map, along which everything centrally in its line

den was the collapse of the structure. One who was present, but escaped from the ruins, after describing his apprehensions from the rising fury of the storm, says: "Then the windows blew in, the plaster commenced falling, the lights went out, and the floor began to sink; it sank slowly, and it seemed to be several


dropped upon and carried down a two-story grocery store. In a building adjoining the Louisville Hotel a number of lives were lost, several hours being required to dig out the dead and wounded from the ruins. In a few places fires started in the fallen buildings, and although these were quickly put out, so that there was



TORNADO CLOUD SEEN NEAR GARNETT, KANSAS, 1884.



TORNADO CLOUD SEEN AT HOWARD, DAKOTA, 1884.



TORNADO AT ERCILDOUN, PA., 1874.

was demolished, while structures fringing the course were unroofed and twisted or shattered so as to be left in a dangerous condition. The most complete destruction was at the Falls City Hall, a representation of the ruins there, consisting of a compact mass of rubbish, bricks, and mortar, forming the subject of one of our

seconds before it struck, with a jar, and joists, beams, plastering, and everything came falling down upon us." Of the total number of lives lost in the city, the great majority were killed at this point.

The streets wherein the greatest damage was done are Eleventh to Eighteenth, inclusive, Water, Main,

no large conflagration, there were several instances where those pinned down by the debris of demolished buildings were burned to death before they could be dug out.

The Rev. Stephen E. Barnwell, rector of St. John's Episcopal Church, and a young son, were mangled to



THE TORNADO AT LOUISVILLE—DEBRIS OF THE FALLS CITY HALL.—(From a Photograph by Elrod.)

death, the father evidently having been reading with his family when the crash came which shattered the rectory and the church next to it. The ruined condition of both buildings is shown in one of the photographic views, and also in the first page illustration, as they front on Baxter Park, seen in the foreground. The force of the storm, as well as some of its curious freaks, were well illustrated here. A long row of large trees at one side was torn up by the roots and laid down in order with a good deal of evenness and regularity, smaller trees being splintered or having branches torn off, while the iron work in the central fountain was torn out and deposited near one of the gates, yet a light frame music stand near by was uninjured. In one portion of the first page view is also seen a tall chimney left standing, although all about it is in ruins.

In the wreck of a portion of the Union Depot, at the foot of Seventh Street, a number of people were injured, but it seems almost miraculous that none were killed. A train was about ready to leave, and many passengers were waiting, but as the noise of the approaching storm increased, they had generally gathered about the offices, where it finally proved that there was the least danger. The location of the depot is indicated at B in


of devastation for many miles in the same line anywhere, but the special places where great damage was done were separated from each other in many cases by distances of fifty or a hundred miles, although all within and upon the southern edge of the great continental cyclone.

It is only within a few years that the conditions under which tornadoes are formed have been systematically noted. Their tremendous power, however, as compared with that of the highest winds of which we have accurate knowledge, may be judged by the fact that meteorologists estimate the velocity of the current within the whirling funnel-shaped cloud of a tornado to be many times that of the cyclone of which it is the accompaniment, and on the edges of which it hangs. The lower part of the cloud-funnel, as it approaches or strikes the earth, as it were with an immense flail, may be but a few yards wide, but with a base in the upper clouds which is miles in diameter, and extending to a height to which we can assign no limit, except as that is defined by the height of the ocean of air resting upon the earth's surface. Some of the different phases in which the tornado cloud presents itself are shown in the small views, in one case

Atlantic seaboard, we trust there is no ground, on this account, for the assumption recently advanced in the columns of a Western newspaper, that the dwellers upon the sea coast are the more likely to be the recipients of the next earthquake visitation.

"Death Gulch," Yellowstone Park.

Mr. W. H. Weed, of the U. S. Geological Survey, has described in *Science*, the "Death Gulch" in the extreme northeastern portion of Yellowstone Park, on Cache Creek, two miles above its confluence with Lamar River, five miles from the mail station of Soda Butte. In an opening bordering on Cache Creek occur evidences of former hot springs in geyser-like deposits, a hot spring cone half washed away, a mound of travertine, and a little tepid sulphurous water at the edge of the stream. Besides, there are copious gaseous emanations rising through the waters of the creek "mainly, no doubt, carbonic acid, although containing some sulphureted hydrogen." Above these is altered and crystalline travertine, besides a bank of sulphur and gravel cemented by travertine. In a lateral gully, the waters of its small stream, sour with sulphuric acid, flow in a channel cut through beds of dark gray vol-



THE DEMOLISHED STANDPIPE AT THE WATER WORKS.—(From a Photograph by Klauber).

our first page picture. One of the photographic views represents it as seen the day after, with one car of a train pinned down by the wreckage.

Grave apprehensions were felt for several days of the cutting off of the city's water supply, on account of the destruction of the stand-pipe at the pumping station, which forms the subject of one of the photographic views. The reservoir, however, held a five days' supply, which proved to be sufficient until temporary measures could be taken to furnish water while the tower was being rebuilt.

As to the total damage to property in the city, there are no trustworthy figures obtainable. It has been estimated that the losses to small householders and those of limited means generally would foot up to nearly half a million dollars, but losses from such a cause are not generally covered by insurance policies, and therefore the reports made fail to give sufficient facts on which to make a close approximation of the value of the property destroyed.

The little town of Jeffersonville, Ind., immediately across the river from Louisville, was somewhat damaged, but the visitation of the storm there was especially remarkable from the fact that a church in which a meeting was being held was unroofed without any attendant loss of life. In numerous other places, embracing some twenty counties in Kentucky and ten counties in Tennessee, as well as at various localities just on the north side of the Ohio River, there was great destruction of property, and in some cases considerable loss of life. There was no continued course

the cloud stretching toward the earth in the form of an elephant's trunk. In the case of the tornado cloud seen in Dakota, there was ample time to fully observe it, as it remained in sight over two hours. Several people were killed by this tornado, and much property destroyed.

The tornado at Ercildoun, Pa., in 1877, traversed the country for twenty miles, the width of its track varying from 150 to 300 feet, many people being injured, and much property destroyed. Observers who have witnessed tornadoes have described the cloud as "bounding over the ground like a ball," "lashing the earth in terrific fury with its huge tail," etc., and of one tornado cloud it is said that, "rising up like the uncoiling of a huge rope, it cut loose from the earth and passed over us with a horrible whizzing sound." The state of excitement or terror of the observer may well be deemed to have some effect influencing such descriptions, but they quite accord with what is now conceived to be the nature and operation of the forces producing the tornado cloud.

The United States, east of the Rocky Mountains, is conceded to be particularly subject to tornado storms, from the large extent it presents of comparatively level territory, unbroken by high mountains, to present barriers to its surface currents. Kansas, Missouri, and Iowa have had very many of these storms, which have also been numerous in the whole region north of the Ohio, and in northern Alabama, Georgia, and the Carolinas they have likewise been frequent. Although they have not been so numerous immediately upon the

canic tufa. The only springs now flowing are oozes of water, forming a creamy white deposit about the vents, which is largely an alum (alumina sulphate). The odor of sulphur is strong. The bears and other wild animals of the region are often killed by the gases. Dead bears were found in all stages, from skeletons to freshly killed, and with them were remains of an elk, squirrels, rock-hares, etc., and many dead butterflies and other insects.

Variegated Colors for Show Bottles.

Take equal volumes of chloroform, glycerine, a mixture of one volume stronger ether and three volumes carbon disulphide, water, cotton seed oil, and alcohol. Shake the chloroform with a little water, then separate the excess. To the chloroform thus saturated with water add a little Bengal red, shake well a few minutes, and filter. In the ether and carbon disulphide dissolve a little iodine. In the alcohol dissolve a little Bengal green or chlorophyll from fresh green leaves. Now pour these various colored fluids into a clear flint glass bottle or other similar container just large enough to hold them all, beginning with the chloroform and following with each in succession down to the alcohol. They should all be added carefully down the side of the container and without agitation, and, lastly, enough more alcohol should be added to completely fill the container after the insertion of the cork. This will give a bottle with six separate layers of colored fluids, and presents a very pretty sight.—*The New Idea*.

Natural Gas in Indiana and Ohio.

Nothing like the Consumers' Gas Trust Plant, of Indianapolis, has ever devised in the West.

The company has 55 wells now in use. A low estimate of the open output of the 55 wells would now be 350,000,000 feet daily, with a maximum delivery in Indianapolis of 90,000,000 feet in 12 hours. The Trust has a total of 34 miles of main lines and connections. The company is drawing its gas supply from a total area of about 60 square miles of territory.

Speaking of the growth of the Ohio natural gas industry, Professor Edward Orton, in the *American Manufacturer*, says:

The use of gas has probably been more than doubled in 1889. Manufactures, based on a cheap and abundant supply, have been greatly multiplied at all the leading centers, but, more than all, new towns have been attached to the fields by the dozen. Leaving out of the account a large number of villages contiguous to the gas fields, of less than 1,000 population, many of which now avail themselves of the pipe lines that are laid through their streets on the way to larger markets, we find that 1889 has given the great boon of Trenton limestone gas to these among other Ohio towns, viz.: Dayton, Springfield, Greenville, Wapakoneta, Van Wert, Delphos, Sandusky, and Bellevue, Findlay, Lima, Bowling Green, Fostoria, Fremont, Tiffin, Carey, Kenton, St. Mary's, Troy, Piqua, Sidney, Celina, and other towns had been previously supplied. The Northwestern Ohio Gas Company has also laid a large line to the Michigan boundary, designed to furnish domestic fuel to Detroit.

In the way of utilization in manufactures, the increase has been equally marked. Findlay now has 154 glass pots, nearly half of them added in 1889. A large volume of manufacturing interests has also been brought in. An equal or, at least, a similar enlargement has gone forward in Tiffin and Fremont. Fostoria is also to the front in this remarkable expansion. Bowling Green has also made some noteworthy advances.

Fostoria and Tiffin both own pipe lines to the great gas fields, built by public funds. The gas that they obtain from wells of their own drilling, on lands that they have leased for this purpose, they turn over at either nominal or very low rates to the manufacturing companies, counting on the growth of the town for their returns. The gas furnished on these terms is naturally used in a lavish way.

Toledo is supplied by two pipe lines, owned by the Northwestern Ohio Company, and in addition the city is preparing, at great outlay of funds, to be raised by bonding the town, to build a line for itself from the Hancock county field, where it has leased gas lands and drilled wells on a large scale.

The largest gas wells yet struck in Ohio belong to the last year, one of them to a very recent date. The Mellott well, near Stuartsville, six miles north of Findlay, has an open pressure in the casing of 28 pounds. This stands for a daily production of about 28,000,000 feet. A new well recently drilled by the Northwestern Company, near Bairdstown, Wood county, is reported to have shown the amazing open pressure of 45 pounds in the casing. This stands for about 33,000,000 feet per day. The Karg well was long counted the wonder of the world. Its daily volume at its best was about 14,000,000 feet.

An Alleged New Vegetable Raw Material.

We have received specimens of a vegetable fiber, introduced by the "New Textile Syndicate," limited, of London, whose works are at Popeley Mills, Gomersal, near Leeds. In the treatment of the fibers it is claimed the vegetable properties are eliminated, and what may be termed animal properties are given to them, the treatment being carried out in such a manner that the raw material has become possessed of milling or felting properties, and, further, by subdividing, opening, softening, and extracting all impurities therefrom, a material is produced that can be spun alone, or in combination with any animal fibers. The specimens of the raw material, yarns, and cloths made from them which we have are practical demonstrations of their utility, and the prices annexed show that they are really marketable. Any shade of dye can be given to either the raw material or to the yarns, and the glossy and brilliant colors are guaranteed to be as fast as those on any other similar fibers when produced in a like manner, and the fiber so treated can be used for all purposes where cotton waste and cotton of a superior quality are invariably used; and as it is said to excel these in milling properties, as well as in strength and durability, and also in cheapness, it is likely to meet with a favorable demand as a substitute for these fibers. In an unmixed state, it can be spun into a fine and very even yarn, which is especially suitable for weft, in the manufacture of linen and cotton fabrics, hosiery, etc., for it has been proved that it can be produced cheaper than the cotton yarns generally used for these purposes. The *Journal of Fabrics* says: The new material has already been tried, thoroughly tested, and most favorably reported upon, by large and well known firms.

Exhibition of Horseshoes.

At the Animals Institute, Kinneston Street, just off Wilton Place, Belgravia, London, there is an interesting display of horseshoes, comprising about one thousand different patterns. Included in the collection, says the *Ironmonger*, are some ancient specimens, most of which have been dug up in the neighborhood of London. The oldest, however, was found at Tenbury, Worcestershire, under what is known as the "Mound of Caractacus," from which fact it is believed that the shoe was made about A. D. 50. The other antiquities are traced to the period of the Roman occupation of this country, and the patterns indicate that in those days quantity, at all events, was firmly believed in, whatever the quality may have been. But, judging from the present condition of the articles, the quality must have been of superlative order, for, beyond a certain amount of corrosion, the preserved state of the iron is very remarkable. It is not, however, in these antiquities that the main interest of the exhibition is found. There are several collections of modern shoes which cannot fail to prove attractive to all concerned with horses. Yet, before referring to them, it may be observed that there is a number of shoes which represent types in use during the last three hundred years.

A display which will repay inspection is made by Mr. Wheatley, Reading. It is impossible in a brief report like this to even indicate the chief features of the collection, for the valid reason that so many shapes and sizes are contained in it, some of them being peculiar to a degree. Another contribution worthy of close inspection is that sent by Mr. Welsby, a veterinary surgeon of Liverpool. Here, also, are some odd shapes, but all of them are of everyday requirement, in consequence of the many and strange diseases and deformities of the feet of horses. Noticeable among them is a three-quarter shoe for animals having one bad quarter, and a T or anchor-like shoe for a foot with two bad quarters. Another design embodies a high heel for the purpose of throwing the weight on the horse's heel, and for a like purpose, but suitable for horses for which a high heel would be no good, there is a bar shoe, minus, of course, the heel. Then for horses which are difficult to suit there are "Rocker" shoes, the object of which is to cause the weight to fall just on that part of the foot most comfortable to the horse, according to the load behind it. A hinged shoe, also included in this collection, and suitable for hunters, is one which cannot escape attention. The object of the hinge is to admit of the shoe being fitted to any foot, and, being lightly and elegantly constructed, it can be conveniently carried in the pocket of the rider, with a few nails, so that, should the horse throw one of its shoes, it can be resoled in a few minutes. By way of contrast, Mr. Welsby shows a self-fitting shoe for a similar purpose, made and in use not so very long ago, although the design of it suggests an antediluvian origin. It is not only a clumsy thing, but it is cumbersome, and must have caused considerable inconvenience to the rider plucky enough to have carried it to the field.

Apropos of light shoes, mention must be made of some racing tips manufactured and exhibited by the Alliance Aluminum Company (Limited). The usual weight of racing tips, it is stated, is about 13 oz. per set, but these tips weigh only 5 oz. per set. A breaking bit, likewise made of aluminum, is also shown, its extraordinary lightness combined with all requisite strength being its special feature.

Coming to anti-slipping shoes, Mr. H. T. Pearce is showing a patent pattern made of T steel, the chief point of which is that the surface coming in contact with the ground is about $\frac{3}{8}$ inch thick, and has an elliptically shaped notch made in it at intervals of about $1\frac{1}{2}$ inches. Another pattern is that styled Kennedy's patent safety "All Weather" shoe. In this design rubber pads are used at the toe and at the end of the two points, while also at the toe and round the sides are angular notches for the purpose of giving the animal a firm grip upon all kinds of roads, wet or dry. The pads are so placed that they can be readily renewed. Rubber pads are also the leading point of the anti-slipping shoes shown by Ball & Farmer, although their application is somewhat different. In this latter case the shoe is notched after the fashion of a dovetail, and the pads are, of course, made in the same style. It is obvious, therefore, that the pads can be easily slipped in and out sideways, although it is not likely that in ordinary work a horse would kick them out. There are a number of ideas demonstrated, some in leather and some in rubber, for the prevention of slipping, many of which involve points which concern the veterinary surgeon more than the horsekeeper, and therefore it would be absurd to dilate upon them here; but passing reference may be made to one peculiar thing, viz., a shoe of rubber which entirely covers the whole of the foot and hoof. The information afforded about this type of shoe is that 500 miles have been traveled by horses wearing it; but whether the sample displayed is one of the set used is not clear.

A good show is made by John George & Sons, who make a special feature of shoes, pads, nails, etc. Their latest improvement in pads is the "Weldon Non-slip,"

made of pure India-rubber cemented on a leather sole. In this arrangement it is said rubber takes the pressure off the heel of the foot and prevents corns, and enables the horse to travel on the most slippery roads without slipping. They wear well, the same pads being generally used for two and three sets of shoes. Heavy draught shoes of improved type, cab horse hind shoes, and light concave hind for hacks and hunters are also shown, and beside them the "Star" horsenail, for which the firm are agents.

The various types of machine-made shoes, nails, etc., are displayed by the United Horse Shoe and Nail Company (Limited) in an interesting manner, and the "Capewell" horseshoe nails are shown by the Capewell Horsenail Company (Limited). Frost cogs, made according to a suggestion of Mr. George Fleming, are shown by Arnold & Sons, the points of which are that they are splendidly made, suitable for all classes of work, and very durable. One other special shoe may be briefly mentioned, for, whatever its merits may be, it possesses the feature of absolute novelty. From the back part of the shoe on each side rise two bands of metal which meet and interlock at the top of and in front of the hoof. Then from the toe point rises another piece of metal, and in the middle of it is carried a slight projection through which a screw hole is made. To cause the shoe to be securely fitted to the foot, a screw passes through the point at which the two bands meet into the screw hole on the front of the hoof, and is tightened as may be necessary. The shoe is made in various weights for hunters and carriage or cart horses.

Chemical Examination of an Ancient Scepter.

M. Berthelot has recently discussed the question of the manufacture of bronze by ancient peoples. As copper is widely distributed in nature, the use of that metal might have been expected. Tin, the other constituent of bronze, is, on the contrary, found in but few localities, and even these are of comparatively difficult access. The positive statements, therefore, which have hitherto been made concerning the general use of bronze by prehistoric peoples have for a long time puzzled those who have given the matter attention. Archæologists agree that the use of unalloyed copper for arms and utensils preceded that of bronze, but the date of the introduction of the alloy of copper and tin has never been satisfactorily settled. Among the many so-called bronze implements contained in collections of Egyptian antiquities, one, the scepter of Pepi I., a king of the sixth dynasty, archæologists have agreed belongs to an age between thirty-five and forty centuries before the Christian era. From the interior of this scepter some small fragments of the metal were dislodged, and sent by the director of the British Museum to M. Berthelot. An analysis of these particles failed to indicate the presence of even a trace of tin or of zinc. From this M. Berthelot argues that bronze was unknown at this epoch, as otherwise it would have been used in this instance instead of the softer copper. He comes finally to the conclusion, based upon this and other proof, that the art of bronze manufacture has not been known at any rate for more than from fifty to sixty centuries.—*Ann. Chim. Phys.; W. W. Randall, Amer. Chem. Jour.*

Jamaica International Exhibition, 1891.

An international exhibition will be held in the island of Jamaica, B. W. I., in January, 1891, under the auspices of the government of Jamaica.

In view of the very considerable and increasing trade between the United States and the West Indies, the committee have appropriated a large space for American exhibits.

No charge will be made for space in the exhibition buildings, nor will duties be levied on any of the exhibits unless sold in the island.

The geographical position of the island and the salubrity of the climate will undoubtedly attract a large number of visitors from the neighboring islands and South and Central America, as well as from the United States.

There is constant and regular communication by steam between New York and Jamaica, and the island is also connected with the United States by cable.

In addition to the present accommodations for visitors, a large hotel has been recently erected and opened, near the exhibition grounds, under American management.

The railroad system of the island, which has been recently taken over by an American company, is rapidly being extended.

All particulars as to the scope and object of the exhibition will be cheerfully furnished by the secretary, Mr. Thomas Amor, 280 Broadway, New York.

TRUE GENIUS.—"Men give me some credit for genius. All the genius I have lies in this: When I have a subject in hand, I study it profoundly. Day and night it is before me. I explore it in all its bearings. My mind becomes pervaded with it. Then the effort which I make the people are pleased to call the fruit of genius. It is the fruit of labor and thought." *Alexander Hamilton.*

RECENTLY PATENTED INVENTIONS.

Railway Appliances.

CAR COUPLING.—George A. La Fever, Selkirk, N. Y. This coupler has a pneumatic cylinder open at one end and with spring hooks extending through its sides, a piston head being adapted to enter the cylinder, and its rod carrying a spring-actuated disk, the device being adapted to deaden the effect of collisions and prevent derailment of the cars when such accidents occur.

CAR COUPLING.—Simon J. Freeman, Bradford, Pa. In this coupling a horizontal hook adapted to swing vertically is pivoted on the drawbar, to which also is pivoted a locking plate adapted to abut against and lock the hook in a horizontal position, the device being adapted for use with the ordinary link and pin coupling, the hook being so locked when the cars are coupled as to prevent accidental uncoupling, and the invention being an improvement on a former patented invention of the same inventor.

RAIL JOINT SUPPORT.—Phillip Riley, Marion, Iowa. By this invention opposed inclined rail braces are used having flanges on their lower ends fitting in a longitudinally slotted plate, to make the joints of ordinary rails abut in such a manner that they cannot spread and get out of place, while the weight upon the rails will act to hold the parts together.

DUST GUARD FOR CAR WINDOWS.—Joseph B. Ballard, Ballardville, Mo. This is an attachment embracing a novel construction and combination of parts, and designed also as a ventilator, for excluding smoke, dust, cinders, etc., from the car while being ventilated, and designed also to prevent the passage of very strong currents of air into the car when the windows are raised while the car is in motion.

Miscellaneous.

PULLEY.—Joseph T. Mitchell, Shelbyville, Tenn. This pulley has arms or spokes with a U-shaped bend near the middle of the length of each, these spokes being preferably formed of wrought iron, with their ends fitted to receive apertured patterns, which form cavities in the mould for bosses on a cast rim and cast hub, the pulley being made according to a method patented by the same inventor, and noticed in the SCIENTIFIC AMERICAN of March 22, 1890.

ELECTRIC CIRCUIT CLOSER.—Joseph A. Dempf, Washington, D. C. In this device a non-conducting block of wood or similar material is used, bored in three different diameters, in connection with a hollow metal stem surrounded by a spiral spring, to permit the closing of an electric circuit by pulling on a suspended tassel instead of by pressing on a push button, as is the ordinary custom.

LOOM MECHANISM.—Peter C. Stadler, Paterson, N. J. This is a take-up mechanism consisting of an improved compensating attachment for the cloth beams, serving to regulate the movement of the cloth beam in relation to the picks to compensate for the enlargement of the beam when the cloth is wound up, the device being simple and readily applicable to any loom now in use.

WIRE TWISTER.—Joseph S. Locke, Spartanburg, Ind. This is a device for twisting or wrenching the wires of combined wire and picket fences, there being combined with the handle bar a twister bar formed with an open slot and pivoted to the handle bar, so that the latter when turned presses on the wires in a straight direction toward the head of the slot.

GLASS WASH BOARDS.—Charles Cornelius and Henry Schildhauer, Neillville, Wis. This invention provides a press or apparatus for making glass plates corrugated on both sides, and with plain margins, with special features whereby an extended series of such plates may be made at one operation and the glass made to readily free itself from the surface on which it is pressed.

METALLIC SHINGLE.—Thomas Toner and John E. Carroll, Philadelphia, Pa. This is a shingle having at either side a doubled-up ridge extending into a nailing flange having a bead located under the doubled-up ridge, the shingle being easily and securely interlocked, and permitting of being shifted sideways at one or both ends, to facilitate laying on conical roofs, towers, etc.

SPIKE FINISHING MACHINE.—Wilhelm Boecker, Schalke, Prussia, Germany. This machine consists of a rotary wheel having outwardly tapering sockets in its periphery, with sectional matrices therein for spike blanks, an eccentric disk in the wheel acting on the rear of the matrices, while there is a die with operating mechanism and a catch for holding the rotary wheel in fixed position.

DOOR HANGER TRACK.—Henry P. Talbot, Portland, Oregon. This track consists essentially of a trussed bar to which a track or way is rigidly connected, the door hanger trucks being arranged to run upon the track, while there are adjustable levers by means of which either end of the track may be adjusted to the required height.

EYEGLASSES.—Herbert D. Martin, Philadelphia, Pa. This invention relates to a spring for eyeglass frames, which is made of a form to fit comfortably upon and conform to the contour of the nose, causing the bridge of the nose to sustain most of the weight of the lenses, and is designed under all conditions to retain the lenses in a proper horizontal plane.

PENDANT SET WATCH.—Frank G. Faxon, Mount Morris, N. Y. In this set a loose collar is bored centrally to receive the winding bar, with one or more arms acted upon by the periphery of and engaging in slots or recesses in the ends of the bow, an armed collar regulating the outward movement of the winding bar, to permit the setting of the watch only when desired, and render it impossible to pull out the winding stem inadvertently.

WATCH WINDING MECHANISM.—Lewis and Morgan Donne, London, England. This invention

provides an improved motive power for watches and clocks, permitting of the use of a long and broad main spring, the winding up and unwinding of which are recorded, the mechanism being arranged on the top plate and the pillar plate, located a suitable distance apart and connected with each other by posts.

RING.—William M. Kaas, Newark, and Paul Jeanne, Jersey City, N. J. This is a ring made in two sections, each having a shank and a crown, and one crown being adapted to receive the other, the two sections when connected together being worn as and having the appearance of a single ring, and the construction being also adapted for bracelets and similar jewelry.

STOCK TABLET.—Joseph Dick, New York City. This is an improved form of memorandum tablet for storekeepers and others, divided into want and stock columns, each having a series of openings and provided with slides for exposing the names of articles of merchandise either in the want or stock column, thus giving a ready view at all times of the state of the stock.

SEALING GUMMED PAPER.—Thomas H. Hathaway, New Bedford, Mass. This invention covers an apparatus for moistening and sealing gummed articles, consisting of a suitable frame carrying an absorbent roller, a receptacle for delivering liquid to the roller, and a sealing roller, making a convenient device to facilitate the sealing of letters, envelopes, etc.

WINDOW.—John P. Clark, Jr., Jackson, Mich. This invention provides means for adjusting, sealing, and securing the sashes of a window in their casement or frame, the window frame having opposite vertical bead strips, while the sash frames have their edges hinged to permit inward folding of either frame, in connection with spring catches and slotted links adapted to make sliding engagements.

JACK FOR SUPPORTING CLAPBOARDS.—Edwin W. Brown, Vining, Kansas. This is a device to enable one man to rapidly secure clapboards in place on the side of a house, consisting of a block with an adjustable shoulder having sprags projected from its face, and an upper shoulder on which the clapboard rests, combined with a thin metallic plate perforated to receive a nail.

WAGON END GATE.—Lewis Brodsky and Samuel A. Ott, Plover, Iowa. This invention is designed to provide an end gate that can be quickly inserted in or removed from the wagon box, and in which the fastening device cannot work loose or easily get out of repair, the invention covering novel features of construction and combinations of parts.

HARNESS.—Thomas Rosekrans, Esopus, N. Y. This harness consists of a pair of rigid traces adapted to be held on and projecting in front of the hames, a short neck yoke connecting the ends of the traces with each other, and a belly band connecting the rear ends of the rigid traces with each other, whereby the animal will not be burdened with numerous straps, and the power is applied in front of the animal in pulling the wagon.

HORSE CHECKING DEVICE.—Joseph Darling, Baldwin, Pa. Combined with the saddle or support receiving the check hook bar is a dog for engaging the bar and a laterally moving detent for securing the dog out of such engagement, so that the driver may uncheck the horse and check him up again without leaving his seat in the vehicle.

THREAD CASE.—Charles Cobb, Albion, Idaho Ter. This is a case having a series of compartments especially adapted to hold spools of thread of different sizes, and so made that a spool may be quickly and conveniently drawn from any of the compartments by the simple pressure of a knob located on the exterior of the case.

CORSET.—Milton J. Roberts, New York City. This is a braided wire corset made in a novel manner, the braided wire being made to conform to the shape of the bust, when the interlacing wires are caught by solder or molten metal where they intersect or cross each other to hold the corset in form.

KEY.—Hermann C. Fischer, New York City. This key consists of a blade made of two or more spiral flanges standing at angles to each other and provided with bitings in their edges for engagement with the pins or tumblers, the flanges being beveled at their front ends, the key fitting a slot whose shape cannot be detected from the outside.

RETAINING PIN FOR NECK WEAR.—Gustave Selowsky, New York City. This pin has a head provided with an inverted U-shaped slot, open at one end and closed at the other, and with an open loop at the open end of the slot, and is designed to be quickly applied without sewing, interlocking with the material in such way that the pin is securely fastened in place.

BOOT.—James F. Shaw, Jackson, Mich. This boot has a felt foot piece formed of side sections having their meeting edges arranged close together at the front and rear, the leather leg piece being fitted over the leg portion of the foot piece and having its rear portion extended down and secured under the heel of the foot piece, the leather thus strengthening and protecting the felt around the heel and ankle.

LEAF TURNER.—Edmund Wilkoshesky and Lee Van Orton, Butte City, Montana. In this device a rack is supported by a frame which has a centrally journaled shaft upon the upper end of which are loosely pivoted arms having clips at their outer ends for engaging the sheets, there being a carrier adapted to engage the several arms in succession, for turning the leaves of books, music, etc., on instruments, and for attachment to orchestral music stands.

CRATE.—James W. Brook, Lynchburg, Va. This is a crate to facilitate the transportation of fruit and vegetables, eggs, live and dressed chickens, etc., the invention covering a novel construction and combination of parts making it strong and rigid, while insuring the access of air to the contents, and allowing for its being readily put together, taken apart, and used again.

NEW BOOKS AND PUBLICATIONS.

A HANDBOOK OF ENGINE AND BOILER TRIALS AND OF THE INDICATOR AND PRONY BRAKE. By R. H. Thurston. New York: John Wiley & Sons. 1890. Pp. xii, 514. Price \$5.

The title of this book expresses its contents. It forms a very full treatise on tests of all kinds of engines, gas and steam, and boilers. The different instruments used for the purpose, planimeters, speed indicators, dynamometers, etc., are all treated. Even the chemical analysis of furnace gases is included, and all that will make the treatment of the subject a complete one is to be found in the book. Illustrations are used wherever needed, and a very complete table of logarithms and other factors is given at the back. It makes a most valuable contribution to science, and one fully worthy of its eminent author.

A TREATISE ON THE ARC INDICATOR. By Thomas Hawley. Boston: Journal of Commerce Publishing Company. 1890. Pp. 88. Price 25 cents.

What Professor Thurston's work just noticed does in detail, this work does in the abstract. It simply treats of the indicator, its attachment to the engine, etc. Numerous illustrations are given, and it forms a good compendium for the engine room.

A TEXT BOOK ON ROOFS AND BRIDGES. Part II. Graphic Statics. By Mansfield Merriman and Henry S. Jacoby. New York: John Wiley & Sons. 1890. Pp. vii, 124. Price \$2.50.

All that is to be said of this book is that, while it is designed to cover the course of instruction given to the classes in civil engineering in Lehigh University, it is really a manual of general utility, as embodying the recent methods of determining the strength of trusses. Interleaved blank pages are given to contain the personal notes of the reader or student.

THE SCIENCE OF METROLOGY, OR NATURAL WEIGHTS AND MEASURES. A challenge to the metric system. By the Hon. E. Noel. London: Edward Stanford. 1890. Pp. 83.

The author of this work endeavors to substitute the semi-diameter of the earth for the quadrant as a basis of measurement. It enters a protest against the metric system, and one which, for the sake of science, it is to be hoped, will not have much force, and which will probably be without effect in preventing the rapid spread of the recognized system of scientific measurement.

SCIENTIFIC AMERICAN BUILDING EDITION.

APRIL NUMBER.—(No. 54.)

TABLE OF CONTENTS.

1. Elegant plate in colors of a residence on Long Island, N. Y., built from plans prepared by Munn & Co. Cost about \$6,500. Perspective elevation, floor plans, details, etc.
2. Colored plates, details, and suggestive floor plans for a residence at Buffalo, N. Y., built at a cost of \$7,000.
3. Illustrations of an attractive cottage at Excelsior Springs, Mo., erected at a cost of \$1,300 complete.
4. A residence at Park Hill, South Yonkers, N. Y., erected at a cost of \$8,500. Perspective and floor plans.
5. Perspective elevation and floor plans of a residence recently erected at Belle Haven, Conn., at a cost of \$11,000. McKim, Mead & White, New York, architects.
6. Engraving of a Binghamton, N. Y., cottage. Cost \$4,950 complete. Floor plans and perspective.
7. Elevation and floor plans of a brick cottage. Cost about \$5,000.
8. A double dwelling costing \$5,200, built at Portchester, N. Y. Perspective and plans.
9. View of an economical water tower at Hill View Park, South Yonkers, N. Y.
10. A cottage at Mountain Station, N. J., from designs by F. W. Beall, architect, New York. Cost complete \$8,000. Plans and perspective.
11. Two carriage houses. Cost about \$1,500.
12. Two pages of illustrations showing in general view and detail the wreck of the tower of the Church of the Covenant, at Washington, D. C., which fell when nearly completed on August 22, 1888.
13. A Crescent Place, South Yonkers, N. Y., residence, recently erected at a cost of \$7,500. Plans and perspective view.
14. Miscellaneous Contents: Concrete arches.—Dwarf canals.—Water works for small towns.—Soft stone.—Brick pavements.—Fall of the tower of the Church of the Covenant, Washington, D. C.—Improved duplex plumb and level, illustrated.—Improved anti-friction hanger for sliding doors, etc., illustrated.—Wood's pedal valve for radiators, illustrated.—An improved turnbuckle, illustrated.—Improved copying press, illustrated.—The Wing disk fans, etc.—Mortising and Tenoning machine, illustrated.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITECTURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural publication in the world. Sold by all newsdealers.

MUNN & CO., PUBLISHERS,
361 Broadway, New York.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Belting.—A good lot of second hand belting for sale cheap. Samuel Roberts, 369 Pearl St., New York.

Prevention for electric light fires. Interest for sale. B. Hempstead, 2621 Pine Street, St. Louis, Mo.

Apparatus for laying underground conductors pneumatically. Address T. J. Cope, No. 8 N. 6th St., Phila., Pa.

Inventors wishing their patents sold or introduced, address Chas. Babson, Jr., 24 Congress St., Boston, Mass.

For Photographs of the damage caused by the Louisville Tornado, address E. Klauber, Louisville, Ky.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.

Wanted.—A thoroughly competent designer of wood-working machinery by a well established house. To the right party a first-class opening. Address P. O. box 1001, New York, N. Y.

Best Ice and Refrigerating Machines made by David Boyle, Chicago, Ill. 140 machines in satisfactory use.

Guilid & Garrison, Brooklyn, N. Y., manufacture steam pumps, vacuum pumps, vacuum apparatus, air pumps, acid blowers, filter press pumps, etc.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

The Holly Manufacturing Co., of Lockport, N. Y., will send their pamphlet, describing water works machinery, and containing reports of tests, on application.

Tuerk water motors at 12 Cortlandt St., New York.

Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Lighthouse and Canal Sts., New York.

Iron, Steel, Copper, and Bronze Drop Forgings of every description. Billings & Spencer Co., Hartford, Conn.

For low prices on Iron Pipe, Valves, Gates, Fittings, Iron and Brass Castings, and Plumbers' Supplies, write A. & W. S. Carr Co., 138 and 140 Centre St., New York.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Safety Elevators, steam and belt power; quick and smooth. The D. Frisbie Co., 112 Liberty St., New York.

Tight and Slack Barrel Machinery a specialty. John Greenwood & Co., Rochester, N. Y. See illus. adv., p. 173.

"How to Keep Boilers Clean." Send your address for free 96 p. book. Jas. C. Hotchkiss, 120 Liberty St., N. Y.

For best hoisting engine. J. S. Mundy, Newark, N. J.

For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J. S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication. **References** to former articles or answers should give date of paper and page or number of question. **Inquiries** not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all, either by letter or in this department, each must take his turn. **Special Written Information** on matters of personal rather than general interest cannot be expected without remuneration. **Scientific American Supplements** referred to may be had at the office. Price 10 cents each. **Books** referred to promptly supplied on receipt of price. **Minerals** sent for examination should be distinctly marked or labeled.

(2086) **H. W. M. writes:** I have some printed brown paper that I wish to turn to a yellow. What kind of chemicals shall I use to effect this? A. You may succeed by bleaching with javelle water or oxalic acid, and then dyeing with picric acid or turmeric. Or saturate with indigo in solution in sulphuric acid after bleaching and then treat with nitric acid.

(2087) **G. F. D. asks:** 1. What distance should be between the diaphragm and magnet core of a telephone receiver? A. The distance should be as small as possible without permitting the diaphragm to come in contact with the pole of the magnet when the diaphragm is strongly vibrated. 2. In the number of your paper published January 25, you stated that the wire on bell magnets should have a depth equal to the core. Does this rule hold good for all magnets? A. Yes. 3. Are the alternations of the secondary in an induction coil of equal strength? A. No; the impulse on breaking the primary circuit is greater than that of closing. 4. Which is the more dangerous to life—the direct or alternating current of equal strength? A. This matter has not been determined as yet.

(2088) **J. C. writes:** Is there a law in the United States regulating the use of wine measure? If so, what does the act demand in order to make such measures thoroughly legal? A. The legal liquid measure is the gallon of 231 cubic inches, by congressional enactment of 1824, subsequently ratified by the State of New York.

(2089) **F. B. M. asks:** Can an electrical current be said to have a taste? A. No; it may produce a taste by decomposing the fluids of the mouth.

(2090) **F. M. writes:** In using the ordinary commercial glue for fastening metals together, will it in the case of zinc foil and copper act as an insulator between the two, when used to hold them together? A. It will be a very poor insulator, and will be worse in damp air than in dry air. Shellac is the proper substance to use.

(2091) W. S. H. says: The use of benzine for cleaning iron and steel and for other metal-working purposes has come into general use in large manufacturing whereon are policies of insurance which have clauses prohibiting specifically among other inflammables the use or possession of benzine on the premises. The serious business aspect of the dilemma leads me to inquire if any non-inflammable substitute for benzine adapted to the purposes named has been discovered. If a manufacturer of small tools or other products in steel, such as steel pens, watches, clocks, surgical instruments, etc., has found a substitute for benzine, he would be doing a great service to a very large number of people by making the fact known. A. We recommend the use of caustic soda solution for cleaning, then rinsing in hot water and quick drying, as a substitute for the inflammable and dangerous benzine.

(2092) F. A. J. — We can supply you with "House Painting, Graining, Marbling, and Sign Writing," by Davidson, \$2. Also Roseiter and Wright's "Modern House Painting," \$3.

(2093) V. E. S. asks: Is there anything that I can use to keep gum tragacanth in liquid form from souring, used in marbling? A. Add a few drops of oil of cloves; enough to be barely perceptible.

(2094) J. Z. K. asks: Does snow on ice prevent it from freezing? A. Yes; snow is a non-conductor and prevents the cold of the air reaching the ice below, and also prevents radiation from the ice.

(2095) J. F. writes: What will render common muslin comparatively fireproof? It is much used on the frontiers for lining log houses, and is often the cause of their being burned down. A. Many salts, such as sulphate of soda, tend to make fabrics fireproof. Tungstate of soda is considered about the best. Dissolve in water, and dip the goods and dry them.

TO INVENTORS.

An experience of forty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

March 25, 1890,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Advertising and distributing apparatus, H. D. Pursell.....	424,354
Aerostat, M. H. Baldwin.....	423,980
Air, machine for separating solid particles from, R. R. Watters.....	424,042
Air, means for humidifying, drying, warming, or cooling, R. Lofthouse.....	424,118
Air moistening, drying, warming, or cooling apparatus, R. Lofthouse.....	424,320
Alarm. See Burglar alarm. Electric alarm.	
Automatic lubricator, Nottberg & Schmitt.....	424,343
Awning operating mechanism, M. Chalupsky.....	424,270
Ax head, F. L. Hufford.....	424,205
Axle and spring clip, combined, W. L. Bush.....	424,052
Axle box, O. C. Knipe.....	424,317
Axle, carriage, A. G. Hill.....	424,213
Axle for harvester trucks, G. H. Williamson.....	424,398
Axle, vehicle, J. G. Brenner.....	424,169
Axle, vehicle, C. A. Grant.....	423,923
Bag. See Saddle bag.	
Bagatelle board, J. H. Singer.....	424,141
Baking pan, E. R. Stasch.....	423,370
Baling press, W. Bullard.....	424,046
Baling press, J. A. Smith.....	424,367
Ballots, compartment for secretly marking, T. R. Graham.....	424,416
Band cutter and feeder, J. B. McCutcheon.....	424,334
Barrel, ash, Rice & Whittier.....	424,355
Barrel washer, W. T. Edds.....	424,102
Battery. See Secondary battery.	
Bed, animal, H. Stevenson.....	424,143
Belt coupling, A. Post.....	424,023
Belt, ore separator, G. Conkling.....	423,906
Bit. See Bridle bit.	
Blank and file for placing it thereon, Jandus & McCarthy.....	424,001
Blast cupola furnace, E. F. Eurich.....	424,104
Blasting rock, J. D. Conner.....	423,908
Block. See Building block. Chock block.	
Blocks, tiles, etc., machine for ornamenting, E. G. Durant.....	423,915
Blowpipe, W. R. & J. J. Rawlings.....	424,024
Board. See Bagatelle board. Multiple switch board.	
Boat. See Stone boat. Torpedo and gun boat.	
Boiler. See Hot water boiler.	
Boiler cleaner, automatic, D. Myers.....	423,943
Boiler header, steam, W. E. Kelly.....	423,932
Bolt heading dies, C. S. Seaton.....	424,136
Bolting reel, J. B. Dobson.....	424,100
Book, guide and route, O. E. Melichar.....	424,326
Book protector, B. Wolf.....	424,241
Boot, J. F. Shaw.....	424,138
Bottle stopper, E. W. Abbe.....	423,978
Box. See Axle box. Signaling box.	
Bracket. See Scaffold bracket.	
Brake shoe, C. Herron.....	423,968
Brake shoe, N. K. Pearson.....	424,345
Brick, burning, J. C. Anderson.....	424,246
Brick, composition, composition for ornamental, J. C. Anderson.....	424,252, 424,253, 424,256
Brick kiln, J. C. Anderson.....	424,245, 424,248 to 424,250
Brick, method of and apparatus for burning, J. C. Anderson.....	424,247
Brick pressing machine, W. Homes.....	424,204
Bridge construction, H. E. Mertens.....	424,247
Bridge, continuous girder, G. H. Pegram.....	424,349
Bridge, truss, D. F. Lane.....	424,318
Bridges, tightening apparatus for cable, G. M. Wildin et al.....	424,154

Bridle bit, G. A. Belknap.....	424,258
Brine, purifying, C. C. Peck.....	423,949
Broom hanger, R. D. Markham.....	424,323
Building block, J. C. Anderson.....	424,255
Building block, E. G. Durant.....	423,914
Burner. See Hydrocarbon burner. Laboratory burner.	
Burglar alarm, A. Abrahams.....	424,243
Burglar alarm, N. M. Watson.....	424,387
Burr remover, Anderson & Tregouing.....	423,979
Butter jar, T. B. Howe.....	423,928
Button, Chapman & Ingram.....	423,984
Button or stud, Whitney & Howard.....	424,153
Button setting machine, Hawkins & Woodward.....	424,417
Calendar, perpetual, W. D. Romaine.....	424,356
Camera. See Photographic camera.	
Camera, W. H. Bristol.....	424,402
Can. See Gunpowder can. Shipping can.	
Can cages, device for manipulating, W. F. Dana.....	424,278
Can filling machine, E. Wildt.....	424,394
Can nozzle, A. J. Kuehn.....	424,421
Cans, machine for crimping the heads of metal, F. A. Robbins.....	424,133
Cane, etc., diffusion for sorghum, H. A. Hughes.....	423,930
Cannon, breech-loading, J. B. G. A. Canet.....	424,378
Canvas stretching device, G. Cope.....	424,085, 424,086
Car-brake actuating device, W. S. Adams.....	424,160
Car brake actuating device, J. A. Brill.....	424,170
Car coupling, R. H. Dowling.....	424,409
Car coupling, F. A. Fox.....	424,285
Car coupling, S. J. Freeman.....	424,192
Car coupling, E. W. Knapp.....	424,067
Car coupling, G. A. La Fever.....	424,214
Car door, J. C. Wands.....	424,384
Car, electric railway, R. M. Hunter.....	424,206
Car, transferring, J. H. Welcker.....	424,390
Car windows, combined dust guard and ventilator for, J. B. Ballard.....	424,163
Cars, trolley arm for electric railway, C. J. Van Depoele.....	424,381
Carburetor, air, R. D. Bradley.....	423,898
Card case and game counter, J. W. Palmer.....	424,126
Carpet fabric, ingrain, W. B. Keefer.....	424,308
Carpet sweeper, G. W. Kelley.....	424,309
Carrier. See Cash and parcel carrier.	
Case. See Card case. Thread case. Watch case.	
Cash and parcel carrier, D. Lippy.....	424,519
Cash indicator and register, T. Carney.....	424,177
Cash register for coin-actuated locks, J. W. Patterson.....	423,948
Ceiling, metallic, W. R. Kinnear.....	424,312, 424,313
Chair. See Electro-medical chair. Revolving chair. Rocking chair.	
Chimney or ventilator cap, D. Scott.....	424,135
Chock block for logging trucks, W. H. Garlock.....	424,287
Churn, M. M. McDill.....	424,335
Cigar cutter and match holder and ignitor, combined, T. E. Keavy.....	424,307
Cigar wrapper rolling machine, G. M. Hathaway.....	424,296
Cigarette machines, tobacco feeding mechanism for, O. W. Allison.....	424,443
Circuit closer, J. A. Dempf.....	424,182
Clamp. See Rope clamp. Sewing clamp.	
Clamping mechanism, J. G. Froelich.....	423,932
Clapboard supporting jack, E. W. Brown.....	424,173
Clasp. See Sash clasp.	
Clay building blocks in imitation of stone, making, J. C. Anderson.....	424,251
Cleaner. See Boiler cleaner.	
Clock, electro-magnetic watch, R. B. Carr.....	424,268
Clock striking mechanism, R. B. Carr.....	424,267
Clock winding mechanism, A. Hitt.....	424,418
Clothes line fastener, J. B. Mayer.....	424,071
Clothes line reel, F. R. French.....	424,054
Clutch, friction, J. F. McLaughlin.....	424,341
Coal brick, combustible, J. J. Hiertz.....	424,299
Coal tipple, T. B. De Armit.....	424,098
Coffee mill, M. L. Means.....	424,120
Coffee or tea pot, E. Shobe.....	424,361
Coffin fastener, A. E. Palmer.....	424,346
Collar for animals, W. H. Harrison.....	424,197
Commutator, W. F. D. Crane.....	424,406
Commutator brush, P. Diehl.....	423,912
Conduit for electric wires or cables, underground, C. G. Gilman.....	424,057
Confection rolling machine, W. J. White.....	424,393
Cooler, A. McDowell.....	424,125
Copy holder, O. C. Blackmer.....	424,086
Counting device, envelope and card, R. W. Pittman.....	424,127
Coupling. See Belt coupling. Car coupling. Pipe coupling. Trolley wire coupling.	
Coupon cutter, Phippen & Browne.....	423,950
Cow tail holder, F. B. Hibbard.....	423,909
Cow tail holder, S. J. Morgan.....	424,016
Cracker, stacking machine, Smith & Bright.....	424,435
Crate, J. W. Brook.....	424,172
Cultivator, M. L. Kissell.....	424,316
Cultivator, sulky, W. E. Taft.....	424,376
Cup. See Umbrella drip cup.	
Current motor, constant, W. Baxter, Jr.....	423,897
Curtain fixture, F. Root.....	424,224
Curtain holder, A. D. Field.....	424,410
Cut-off, pipe, Smith & Dutton.....	424,368
Cutter. See Band cutter. Cigar cutter. Coupon cutter. Feed cutter. Sausage meat cutter.	
Cutting fabrics, machine for, W. W. Macfarlane.....	424,425
Cutting tools, machine for sharpening, A. H. Richardson.....	424,025
Dial, electric time, Colby & Strong.....	424,273
Digger. See Potato digger.	
Dirt loading machine, E. T. Hoffman.....	424,300
Display frame for dress goods, folding extension, H. S. Bogy.....	424,262
Door check, J. D. Barber.....	424,257
Door check, J. A. Hoffman.....	424,063
Door hanger, E. T. Prindle.....	423,952
Door hanger track, adjustable, H. P. Talbot.....	424,145
Door indicator, H. Hinckley.....	424,112
Door opener, D. Hawksworth.....	424,060
Drainage and sewerage system, W. Hallock.....	424,196
Dress form, G. R. Sherman.....	424,330
Dust collector, J. A. & E. F. Woodbury.....	424,157
Dye, blue carbon, M. Ulrich.....	423,970
Dye, brown carbon, R. Nietzki.....	424,029
Dyeing machine, yarn, J. J. Fearon.....	424,190
Dynamo regulator, H. W. Cooley.....	423,909
Egg beater, F. Hallam.....	424,108
Egg tray machine, W. S. Lowe.....	424,068
Electric alarm for letter boxes, W. G. Reed.....	424,219
Electric lighting, isolated system for, J. F. McLaughlin.....	424,389
Electric machine, dynamo, S. Z. De Ferranti.....	423,991
Electric machine, dynamo, C. D. Jenney.....	424,065
Electric meter, W. J. Bagby.....	424,401
Electric meter, W. McKinney.....	424,338
Electric motor controller, M. J. Wightman.....	423,975
Electro-magnetic motor, N. Tesla.....	424,036
Electro-medical chair, M. A. MacMaster.....	424,012
End gate, wagon, Brodsky & Ott.....	424,171
Engine. See Gas engine. Rotary engine. Steam engine.	
Engine gearing, traction, F. M. Walker.....	424,383

Engraving and mezzotinting printing surfaces, J. L. Mills.....	424,073
Envelope, duplex safety, A. K. Minton.....	424,123
Envelope, letter sheet, Follett & Marsh.....	424,413
Eraser, H. C. Goodrich.....	424,107
Excelsior cutting machine, C. G. Smith.....	424,366
Eyeglasses, H. D. Martin.....	424,217
Fabric. See Carpet fabric. Woven fabric.	
Fabrics, finishing, D. Gessner.....	424,055
Feed cutter, E. W. Silver.....	424,434
Feed trough fender, H. Nisson.....	424,020
Fence making machine, wire and picket, M. F. Connett.....	424,276
Fence post, W. A. Shaw.....	424,139
Fender. See Feed trough fender.	
Fifth wheel, vehicle, Williams & Capps.....	424,397
File, L. Muller.....	424,018
File cutting machine, C. M. Fairbanks.....	424,053
File or cabinet for newspapers, etc., W. R. Brooks.....	423,982
Filter, transparent, Skerry & Derosier.....	424,080
Filtering apparatus, H. J. E. Jensen.....	424,303
Filtering apparatus, T. Stewart.....	424,375
Fire chambers, door opening apparatus for, F. W. Mills.....	424,072
Fireplace frame, E. T. Harris.....	424,059
Flat iron, electric, Butterfield & Mitchell.....	424,404
Flexible tube, T. R. Almond.....	424,044
Floor for buildings, F. Furness.....	424,286
Flour safe, C. S. Rogers.....	423,955
Folding table, M. K. Warner.....	423,973
Foot power, D. D. Weisell.....	424,389
Forge, blacksmith's, J. Malone.....	424,069
Forging machine, electric, R. Ross.....	423,956
Fork guard, W. A. C. Oaks.....	424,021
Frame. See Display frame. Fireplace frame. Purse or bag frame. Truck frame.	
Fruit gatherer, J. A. Chapman.....	424,271
Fruit grader, D. D. Jones.....	424,002
Fruit jar, G. C. Sawyer.....	423,957
Funnel, measuring, F. S. Richardson.....	423,954
Furnace. See Blast cupola furnace. Glory-hole furnace. Hot air furnace.	
Furnace, J. W. Hatch.....	423,926
Furnace, G. H. Taylor.....	424,377
Furnace, Turnbull & Walters.....	424,039
Fuse plug, J. A. Seely.....	424,229
Game, J. F. Fields.....	424,284
Game and appliance therefor, Malings & Muckle.....	424,322
Game apparatus, H. R. Bender.....	424,280
Game apparatus, Ludlum & Stevens.....	424,321
Game apparatus, Regensteiner & Braubach.....	424,132
Game or puzzle, A. H. Gaillard.....	423,919
Game table, H. Ganss et al.....	424,193
Gas engine, rotary, G. E. Hibbard.....	424,000
Gas engines, igniting apparatus for, E. F. Roberts.....	424,027
Gas or air pipes, safety device for, E. C. Jones.....	424,305
Gas or oil motor engines igniting apparatus for, N. A. Otto.....	424,345
Gas regulator, W. Haskell.....	424,199
Gate. See End gate. Railway gate.	
Gate, G. W. Sanford.....	424,154
Generator. See Steam generator.	
Glass washboards, press for making, Cornelius & Schildhauer.....	424,049
Glassware, mould for casting hollow, M. J. Morton et al.....	424,331
Glory-hole furnace, G. Warner.....	424,386
Governor for gas engines and other like motors, Delamare-Deboutteville & Malandin.....	424,099
Grate, J. P. Thomas.....	424,234
Guard. See Fork guard. Watch guard. Wind guard.	
Gun, H. S. Maxim.....	424,119
Guns, loading and discharging, C. O. Yale.....	424,043
Gunpowder can, N. M. Lee.....	424,115
Hair curler and frizzer, Walbridge & Stepp.....	423,972
Halter, W. H. Wheeler.....	423,974
Hame, adjustable, A. V. Cronk.....	424,407
Hammock and chair, convertible, R. W. Messmore.....	424,329
Hanger. See Broom hanger. Door hanger.	
Hanger for coats or other articles, J. L. & D. H. Coles.....	424,275
Harness, T. Rosekrans.....	424,225
Hat fitting device, E. P. McDonald.....	424,336
Hat stretcher, metallic, G. H. Conde.....	424,094
Hatch operating mechanism, automatic, J. Stoneham.....	424,033
Hay rake, tedder, and loader, combined, T. A. Galt.....	424,415
Hay press, W. H. Adams.....	424,161
Hay stacker, C. W. Post.....	424,128
Hay stacker, O. F. Smith.....	424,030
Heating and cooking device, electric, H. R. Butterfield.....	424,403
Heating apparatus, H. D. Justi.....	424,210
Heel nail, H. R. Packard.....	424,430
Hoe, ditching, F. H. Adsit.....	424,244
Holder. See Copy holder. Cow tail holder. Curtain holder. Line holder. Photographic plate holder. Ticket holder. Umbrella holder.	
Hook. See Wardrobe hook. Whiffletree hook.	
Horse checking and unchecking device, J. Darling.....	424,181
Hot air furnace, W. W. Sweetland.....	424,035
Hot water boiler, R. F. Brown.....	424,174
Hydraulic cylinder lubricator, C. M. Dreyer.....	424,186
Hydraulic motor, H. Roeske.....	424,223
Hydrocarbon burner for heaters, Ewert & Mehl-ing.....	424,105
Hydrostatic presses, apparatus for actuating, J. H. Vaile.....	424,040
Ice machine, J. C. Kitton.....	424,005
Ice plow, C. Van Hoesen.....	424,382
Ink well or stand, C. Reinisch.....	424,079
Inking pad, J. B. Laughton.....	424,424
Indicator. See Cash indicator. Door indicator.	
Power indicator.	
Insole, F. Haag.....	424,195
Iron. See Flat iron.	
Jack. See Clapboard supporting jack.	
Jacket, J. A. Orr.....	424,344
Jar. See Butter jar. Fruit jar.	
Jaw tool, parallel, J. L. & D. H. Coles.....	424,274
Jug lid, G. Sutton.....	424,034
Key, H. C. Fischer.....	424,412
Kiln. See Brick kiln.	
Knitting machine, H. S. Long.....	424,011
Knitting machine burr wheel, P. S. Kinsey.....	424,314
Knitting machines, electric stop motion for, J. P. Haslam.....	424,295
Knitting machines, mechanism for controlling the operation of, W. H. Stewart.....	424,231
Laboratory burner, specially useful with gasoline gas, J. F. Barker.....	423,896
Ladder, step, C. L. Smith.....	423,962
Lamp filler, H. C. Beman.....	424,259
Lantern, E. E. Glidden.....	424,289
Lasting machine, Gooding & Ladd.....	423,922
Latch, W. S. Merritt.....	423,988
Leaf turner, Wilkoshesky & Van Orton.....	424,155

Leather skiving machine, A. D. Worthen.....	423,977
Level, spirit, J. A. Traut.....	423,969
Light globes, device for operating elevated, J. F. Barker.....	423,885
Line holder, W. R. Morse.....	424,075
Line tightener, J. & D. Park.....	424,022
Liquid shake, J. Stubbs.....	424,438
Locomotive, electric, G. W. Mansfield.....	424,070
Log canter, I. S. Wardell.....	424,385
Loom take-up mechanism, P. C. Stadler.....	424,142
Lubricant, F. F. Swain.....	424,233
Lubricator. See Automatic lubricator. Hydraulic cylinder lubricator.	
Lubricator, L. J. Phelps.....	424,350
Marble-like or enamel-like objects, producing, L. Preussner.....	424,352
Magnetic particles, separating, G. Conkling.....	423,907
Mail bag fastener, F. W. Hofele.....	424,419
Mail pouch fastener, T. A. Kennedy.....	424,420
Medicine, remedy for toothache, E. J. Ljunggren.....	424,009
Metal into irregular shapes, machine for spinning, J. Browning.....	423,904
Metals, untinting, R. J. Tilford.....	424,379
Meter. See Electric meter.	
Mill. See Coffee mill. Spice mill.	
Mosquito canopies, folding frame or support for, A. H. Bailey.....	424,256
Motor. See Current motor. Electro-magnetic motor. Hydraulic motor. Railway motor. Spring motor.	
Mower, J. I. Murray.....	423,942
Mowing machine, D. C. Markham.....	423,936
Multiple switch board, M. G. Kellogg.....	424,310
Nail. See Nail nail.	
Nail and tack driving machine, Gooding & Ladd.....	423,920
Nails, machine for barbing wire, J. M. Schiltz.....	424,227
Neckwear retaining pin, G. Selowsky.....	424,137
Opera glass boxes, coin-controlled lock for, C. S. Patterson.....	423,947
Optical instruments, focusing mechanism for, E. T. De Wogan.....	424,399
Ordinance and projectile for throwing high explosives, S. H. Emmens.....	424,283
Ore roasting furnaces, feeding device for, I. B. Hammond.....	423,924
Packing, piston, F. D. Child.....	423,985
Pad. See Inkling pad.	
Pan. See Baking pan.	
Paper bag fastening, J. S. Fielder.....	424,411
Paper fastener, G. W. McGill.....	424,337
Paper machines, mechanism for operating the dekles of, N. E. Ackley.....	424,159
Paper making machine, J. B. McNamar.....	424,342
Paper or board, composition for fireproof, J. G. Merrill.....	424,328
Pattern. See Shoe pattern.	
Pedal protector, H. I. Tinkham.....	424,038
Pegging machine, Gooding & Ladd.....	423,921
Pepsin, J. B. Russell.....	424,357
Photographic apparatus, Kipper & Perry, Jr.....	424,315
Photographic camera, D. J. Tapley.....	424,146
Photographic camera shutter, J. J. Dossert.....	423,913
Photographic plate holder, magazine, T. S. Wiles.....	424,396
Piano action, J. Herrburger.....	424,302
Pianos, lamp holder for upright, King & Goodsell.....	424,004
Pin. See Neckwear retaining pin.	
Pipe. See Blowpipe. Stand pipe.	
Pipe coupling, detachable, I. B. Potts.....	424,129
Planter, corn, G. W. Price.....	424,131
Planter, corn, J. Wise.....	424,240
Plow, C. Hansen.....	424,294
Plow, gang, A. B. Voelkerding <i>et al.</i>	424,151
Plow point, S. D. Freeman.....	423,918
Plow, reversible mould board, C. Anderson.....	424,400
Plow, steam, C. P. Brown.....	424,265
Pole, vehicle, R. G. W. Foster.....	424,106
Post. See Fence post.	
Pot. See Coffee or tea pot.	
Potato bug exterminator, A. J. Kuehn.....	424,422
Potato digger, Lauritzen & Nielsen.....	424,067
Potato digger, A. N. Woodard.....	424,242
Powder. See Soap powder.	
Power. See Foot power.	
Power indicator and recorder, E. Nixon.....	424,218
Press. See Baling press. Hay press.	
Printing machinery, J. Derriey.....	423,911
Printing machine, cylinder, C. B. Cottrell.....	424,097
Printing paper bags, machine for, O. G. Vanderhoff.....	424,150
Printing presses, ink feeding attachment for, F. J. Seder.....	424,029
Projectile, W. M. Wood.....	424,442
Projectile by electric welding, manufacturing, W. M. Wood.....	424,441
Propeller, buoyant, G. H. Pond.....	424,076
Propeller, screw, J. A. y Gibert.....	424,056
Propelling mechanism, boat, G. Rixinger.....	424,026
Protector. See Book protector. Pedal protector.	
Puller. See Stump puller.	
Pulley, W. H. Dodge.....	424,101
Pulp articles, moulding, F. E. Keyes.....	424,003
Pumps, steam motor for, H. O. Beatty.....	424,045
Punching and shearing curved plates, machine for, F. Rittenhouse.....	424,222
Punching holes, machine for, A. M. Schilling.....	424,358
Purse or bag frame, A. Goertz.....	423,994
Quilting machine, R. Stoffer.....	424,437
Radiator, electric, Butterfield & Mitchell.....	424,047
Rail joint support, P. Riley.....	424,221
Railway, E. M. Boynton.....	424,168
Railway chairs, machine for making spring wedges for, A. O. David.....	424,408
Railway, electric, J. C. Henry.....	424,298
Railway, electric, J. F. McLaughlin.....	424,340
Railway, electric, Slentz & McGrew.....	424,364
Railway, electric, W. Thompson.....	424,082
Railway gate, M. B. Mills.....	424,074
Railway motor, electric, F. J. Sprague.....	424,436
Railway signal, M. A. Dilley.....	424,051
Railway spike finishing machine, W. Boecker.....	424,167
Railway switch, C. H. Ohm.....	423,944
Railway tie, F. J. Hoyt.....	423,929
Railways, combined conduit and overhead system for electric, C. J. Van Depoele.....	424,380
Rake. See Hay rake.	
Recording measurements of time, space, or quantity, apparatus for, E. M. Hamilton.....	424,291
Reel. See Bolting reel. Clothes line reel.	
Refrigerator, A. W. Paris.....	423,946
Refrigerator, W. E. White.....	424,392
Register. See Cash register.	
Regulator. See Dynamo regulator. Gas regulator.	
Relay, quadruplex, F. W. Jones.....	424,206
Revolving chair, C. C. Trapp.....	424,087
Ring, Kaas & Jeanne.....	424,211
Rock, etc., drilling, J. L. Buckingham.....	424,266
Rocking chair, Kindahl & Hallqvist.....	424,114
Roller. See Shade roller.	
Rolling seamless tubes, mandrel for, C. Kellogg.....	424,213
Rope clamp, J. Weigel.....	424,388
Rotary engine, J. J. Clark.....	423,996

Rotating tools, implement for, A. Vedoe.....	423,971
Saddle bag, W. S. Marshall.....	424,324
Sash balance, C. North.....	424,414
Sash clasp, E. W. Whittaker.....	424,440
Sash fastener, H. D. Jones.....	424,064
Sash fastener, P. F. White.....	424,238
Sausage meat cutter, J. M. Briggs.....	423,899
Saw, G. C. Iles.....	424,194
Saw, circular, R. J. Bole.....	424,301
Sawmill carriage, E. J. Muller.....	424,263
Sawmill dog, P. Payette.....	424,017
Scaffold, R. J. Crump.....	424,347
Scaffold bracket, R. Wegg.....	423,389
Scaffold, portable, M. Courtemanche.....	424,236
Scraper, earth, S. W. Hall.....	423,988
Screen. See Window screen.	
Sealing gummed paper, apparatus for, T. H. Hathaway.....	424,058
Secondary battery, H. H. Wardwell.....	424,200
Seeder, broadcast, F. J. Henrichsen.....	424,152
Separator. See Steam separator.	
Sewing clamp, bag, G. T. Haring.....	423,997
Sewing machine, E. Hall.....	424,109
Sewing machine, L. L. Miller.....	424,290
Sewing machine, N. Wheeler.....	424,330
Sewing machine blower attachment, J. F. Elliott.....	424,237
Sewing machine, buttonhole, W. & C. D. Randel.....	423,916
Sewing machine for basting, Harlow & Bartlett.....	424,432
Sewing machine presser foot lifting device, J. A. Locke.....	423,996
Shade roller, S. Hartshorn.....	424,010
Shaft bearing, H. Schneider.....	424,198
Shaft lighter, H. Stevenson.....	424,360
Shearing and punching machine, S. Schofield.....	424,144
Shelf, W. W. McAlpine.....	423,960
Shingle, metallic, Toner & Carroll.....	424,333
Shingle sawing machine, J. B. Putrow.....	424,149
Shipping can, O. Kitchell.....	423,953
Shirt, M. O. West.....	424,066
Shoe pattern, A. L. Coombs.....	424,391
Shot canister, measuring, Wofford & Blackwell.....	424,987
Shutter, self-closing, J. V. V. Booraem.....	424,156
Shutter, window, H. Hawley.....	424,088
Shutter worker, G. W. Bingham.....	424,051
Sifting apparatus, driving, C. H. Stuble.....	424,261
Signal. See Railway signal. Switch signal.	
Signaling box, municipal, F. Pearce.....	424,232
Silverware boxes, clamp for, C. Leise.....	424,431
Sketching apparatus, D. M. Hartsaugh.....	424,216
Skylight, N. Campbell.....	424,111
Sled, roller, J. W. Bankson.....	424,176
Smokestack, feed water heater, and filter, combined, J. W. Brown.....	424,164
Soap powder, H. Hayward.....	423,983
Soldering and cementing, apparatus for electric, E. Thomson.....	423,977
Soldering, cementing, etc., electric, E. Thomson.....	423,967
Sole brushing machine, J. F. Thompson.....	423,966
Speculum, anal, Q. A. Shuford.....	423,965
Spice mill, Schenkel & Rees.....	424,140
Spike, G. W. Smith.....	424,226
Spinning frames, ring rail for, A. S. & R. C. P. Lang.....	424,081
Spoke facer, C. Seymour.....	424,215
Spring motor, J. G. E. Reichard.....	423,961
Stamp mills, feed rod for ore, J. R. Brett.....	424,220
Stamp, time, C. Stahlberg.....	424,264
Stand. See Window stand.	
Stand pipe, Wiles & Brown.....	424,369
Starching machine, J. W. Morgan.....	424,395
Steam engine, O. H. Castle.....	423,940
Steam engine, J. B. Stanwood.....	424,093
Steam engine, H. E. Trumble.....	423,963
Steam generator, J. A. Eno.....	424,439
Steam generator, O. W. Ketchum.....	424,103
Steam separator, C. J. Mellin.....	424,311
Steam trap, Bollinckx & Springuel.....	424,013
Stencils, plate for preparing printing, J. Brodrick.....	424,082
Stereotype plates, means for inserting movable type in, E. White.....	424,090
Stone boat, W. Kimble.....	424,085
Stone, producing artificial, L. Preussner.....	423,933
Stop motion, S. L. Foster.....	424,353
Stopper. See Bottle stopper.	
Store service apparatus, W. Mendenhall.....	423,917
Stove, heating, J. Keidel.....	424,426
Stovepipe collar, clamp, and cover, E. B. Jones.....	423,931
Stove radiator, T. Thatcher.....	424,304
Straw, etc., apparatus for moving, N. G. Ross.....	424,037
Stump puller, H. B. Doolittle.....	424,433
Supporting wheel or pulley, T. J. Davis.....	424,281
Surgical safety appliance, H. W. Woolsey.....	424,279
Surveying instrument, solar, E. W. Arms.....	423,976
Suspender back, E. D. Bliss.....	423,894
Suspenders, A. Schieffer.....	424,087
Swimming apparatus, C. R. Daellenbach.....	423,958
Switch. See Railway switch.	
Switch signal, W. R. Thomas.....	424,277
Switch tie bar clamps, making, L. H. Evans.....	424,148
Table. See Folding table. Game table.	
Tablet, stock memoranda, J. Dick.....	424,052
Tack separating and distributing mechanism, J. E. Matzinger.....	424,184
Tank closing device, water, J. D. Abraham.....	423,937
Telegraph, multiplex synchronous, R. G. Brown.....	424,158
Telegraph, synchronous multiplex, R. G. Brown.....	423,901
Telegraphy, C. Langdon-Davies.....	423,302
Therapeutic galvanic apparatus, T. Schmauser.....	423,903
Thermometer, clinical, J. Barry.....	424,006
Thermometer, W. F. Singer.....	423,959
Thermostat, W. F. Singer.....	424,165
Thrashing machine conveyer, W. Butler.....	424,367
Thread cabinet, spool, Cobb & Solomon.....	424,175
Thread case, C. Cobb.....	424,272
Ticket holder, H. G. Lathrop.....	424,180
Ticket holder for car seats, A. E. McDonald.....	423,934
Ticket holder for marking goods, S. Bauman.....	424,429
Tie. See Railway tie.	
Tile, illuminating, J. Jacobs.....	423,981
Tires, apparatus for inserting rubber, etc., into grooved, H. Unwin.....	424,392
Tool shank, M. J. Poindexter.....	424,084
Tooth, artificial, G. L. Curtis.....	423,951
Torpedo and gun boat, R. J. Gatling.....	424,050
Toy figures and objects, mechanism for transmitting motion to, G. Cole.....	424,288
Toy, musical, R. Handel.....	423,905
Trap. See Steam trap.	
Trap, W. P. Austin.....	424,293
Trap, H. B. Eareckson.....	424,162
Trap for tumblers or other articles, C. F. Santer.....	424,188
Treadle, F. B. Johnson.....	424,028
Trolley bridge, J. Stephenson.....	424,444
Trolley wire coupling, S. Harris.....	424,374
Truck, car, J. H. Elliott.....	424,110
Truck, electric car, J. Stephenson.....	424,282
Truck for electric cars, removable, J. Stephenson.....	424,72
Truck frame, electric car, J. Stephenson.....	424,371
Truck, railway car, E. F. Bosdevex.....	424,373
Truck, railway car, R. R. Hazard.....	424,083
Truck, street railway car, W. M. Cary.....	424,062
Trunk, compartment, J. P. Lavandeyra.....	424,269

Truss, L. Munson.....	423,941
Tube. See Flexible tube.	
Type, relief, Taylor & Welman.....	424,147
Typewriting machine, B. A. Brooks.....	423,900
Typewriting machine, J. H. Osgood.....	423,945
Typewriting machine attachment, Durrin & Sheldon.....	424,187
Umbrella attachment, M. Dattlebaum.....	424,187
Umbrella drip cup, S. B. Minnich.....	423,990
Umbrella holder, F. F. Ward.....	424,122
Uterine repositr, M. Chisholm.....	424,041
Valve controller, electric, E. Thomson.....	424,178
Valve for steam engines, reversing, Dennis & Shoemaker.....	423,965
Valve gear, H. F. Gaskill.....	424,183
Valve, safety, G. Spencer.....	423,993
Vehicle, T. Slevin.....	424,031
Vehicle, electrically propelled, R. M. Hunter.....	424,365
Vehicle seat shade, Letchworth & Bessenes.....	424,207
Vehicle, two-wheeled, G. M. Cox.....	424,116
Vehicle, two-wheeled, C. C. Hayes.....	423,910
Vehicle wheel, Millen & Milburn.....	424,297
Vehicles, especially for street watering carts, gearing for spring, O. Tureke.....	424,121
Vending apparatus for liquids, Moulton & Boyle.....	424,235
Ventilating shutter, M. E. Moore.....	424,428
Ventilator. See Window ventilator.	
Veterinary remedy, J. R. Anderson.....	424,015
Voting machine, J. H. Myers.....	423,896
Washer. See Barrel washer.	
Wardrobe hook, Williams & Hackett.....	424,332
Watch case, F. Mink.....	424,239
Watch case pendant, E. C. Fitch.....	423,939
Watch cases, manufacture of, S. T. J. Byam.....	424,191
Watch dials, applying designs to, Schmalz & Firmbach.....	424,048
Watch guard, L. Siff.....	424,228
Watch, pendant set, F. G. Faxon.....	424,362
Watch winding mechanism, L. & M. Donne.....	424,189
Water purifying apparatus, F. H. Moore.....	424,185
Water wheel, C. Le Duc.....	424,124
Weather strip, J. T. Hart.....	423,935
Weather strip and threshold, combined, J. L. Stevens.....	423,925
Wheel. See Fifth wheel. Knitting machine burr wheel. Supporting wheel. Vehicle wheel.	
Whiffletree, W. E. Jacobs.....	423,964
Whiffletree hook, H. Bodenstein.....	424,208
Window guard, J. Keane.....	424,166
Window, J. P. Clark, Jr.....	424,212
Window, F. H. Jury.....	424,179
Window fastening, storm, C. R. Moore.....	424,179
Window screen, rolling and adjustable, J. H. W. Doering.....	424,014
Window stand, M. Plank.....	424,280
Window ventilator, E. L. Howe.....	424,351
Wire galvanizing apparatus, B. A. Grant.....	424,113
Wire, implement for tying the ends of, C. W. Lanpher.....	423,995
Wire twister, J. S. Locke.....	424,423
Woodworking machinery, T. G. Bugbee.....	424,117
Wool scouring machine, Clark & Taft.....	424,091
Wort and yeast, apparatus for mixing and aerating, J. Meier.....	424,405
Woven fabric, A. Heald.....	424,325
Wrench, Schlesinger & Bowmann.....	424,201

DESIGNS.

Bottle, E. J. N. Stent.....	19,725
Bracelet, etc., E. P. Beach.....	19,726
Brooch or similar article, E. P. Beach.....	19,715
Burial casket lid, L. Stein.....	19,716
Combs, etc., handle for, H. Berry.....	19,724
Cultivator blade, S. L. Allen.....	19,717
Cultivator rake, S. L. Allen.....	19,712
Electric meter box, O. B. Shallenberger.....	19,713
Gallon, C. Weinberg.....	19,723
Lamp, G. W. Blair.....	19,727
Lathing, metallic, L. E. Sagendorph.....	19,718
Paving block or brick, C. V. Bartels.....	19,721
Photographic album, N. Loebbaum.....	19,714
Sash cord fastener, G. W. Lee.....	19,720
Type, font of printing, Schmolz & Lauschke.....	19,719

TRADE MARKS.

Anodyne, Lee, Johnson & Co.....	17,708
Antiseptic material in solid form, C. J. Bailey.....	17,697
Brandy, H. W. McIntyre.....	17,709
Chucks, lathe, Westcott Chuck Company.....	17,719
Cigars, J. Eling.....	17,705
Compounds and lotions for use on the skin, Black & Kirchmaier.....	17,698
Cotton or wool and cotton and wool fabrics, Smith, Hogg & Gardner.....	17,716
Cotton or wool and cotton and wool fabrics, except pile fabrics, Smith, Hogg & Gardner.....	17,716
Cuff fasteners, H. R. Wade.....	17,715
Disinfectants, A. J. Conner.....	17,718
Emulsified preparations, throat and lung tablets, cough mixtures, and lotions for the skin, Diamond Laboratory Company.....	17,703
Food for stock, medicated vegetable compound, Anglo-American Food Co.....	17,704
Glue and mucilage, liquid, Russia Cement Company.....	17,696
Hose and machine belting, hydraulic, N. J. Car Spring and Rubber Company.....	17,713
Knives and steel implements, butchers', Cattaraugus Cutlery Company.....	17,710
Medicines, certain named, J. L. Reed.....	17,700
Medicines compounded by prescription and official and pharmaceutical preparations, except bitters and an herb tea, J. F. Broderick.....	17,712
Ointment for chapped hands or roughness of the skin, Cheney & Goulden.....	17,699
Paper, writing, W. W. White.....	17,701
Porcelain, crockery, earthenware, faience, or glass, Societe Anonyme la Ceramique.....	17,720
Sirup for soda fountains, flavoring, Wills & Macdonald.....	17,717
Tea, H. C. Fisher.....	17,721
Tinware, certain named, Clifton Springs Manufacturing Company.....	17,707
Wire used in electric manufactures, Electrical Supply Company.....	17,702
Wood, packages and bundles of, Norwood Manufacturing Company.....	17,706

A printed copy of the specification and drawing of any patent in the foregoing list will be furnished from this office for 25 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian Patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of \$40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Advertisements.

Inside Page, each insertion - - - 75 cents a line.
Back Page, each insertion - - - \$1.00 a line.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

USE ADAMANT WALL PLASTER

It is Hard, Dense, and Adhesive. Does not check or crack. It is impervious to wind, water, and disease germs. It dries in a few hours. It can be applied in any kind of weather. It is in general use. Licenses granted for the mixing, using, and selling.

Address ADAMANT MFG. CO.
309 E. Genesee St.,
Syracuse, N. Y.

Patent Foot Power Machinery Complete Outfits.

Wood or Metal workers without steam power, can successfully compete with the large shops, by using our New LABOR SAVING Machinery, latest and most improved for practical shop use, also for Industrial Schools, Home Training, etc. Catalogue free.

Seneca Falls Mfg. Co.
605 Water Street, Seneca Falls, N. Y.

THE PHONOGRAPH.—A DETAILED description of the new and improved form of the phonograph just brought out by Edison. With 8 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 632. Price 10 cents. To be had at this office and from all newsdealers.

SEBASTIAN, MAY & CO'S Improved Screw Cutting

Foot & Power LATHES \$60

Drill Presses, Chucks, Drills, Dogs, and machinists' and amateurs' outfits. Lathes on trial. Catalogues mailed on application.

165 W. 2d St., Cincinnati, O.

CONJURING TRICKS.—DIRECTIONS for making numerous simple apparatus for performing experiments in natural magic. With 5 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 728. Price 10 cents. To be had at this office and from all newsdealers.

EDISON LAMPS

For Decorative, Surgical, Dental, poses. From 1/2 er. From 2 1/2 Catalogue on application.

EDISON LAMP CO.
Harrison, N. J.

LUMINOUS FOUNTAINS.—A DETAILED description of the structure and mode of operation of the luminous fountains at the Paris exposition of 1889. With 6 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 727. Price 10 cents. To be had at this office and from all newsdealers.

SPIRAL SPRINGS. T. F. WELCH, 8 Medford St., BOSTON. Circular Free.

COMPLETE STEAM PUMP 10 SIZES FROM \$7 TO \$75

FOR DRIVE WELLS & ETC.

WRITE FOR PRICES AND DESCRIPTIVE CIRCULARS.

VAN DUZEN & TIFT SOLE MAKERS. CINCINNATI, O.

DRY AIR REFRIGERATING MACHINE. Description of Hall's improved horizontal dry air refrigerator, designed to deliver about 10,000 cubic feet of cold air per hour, when running at a speed of 100 revolutions per minute, and capable of reducing the temperature of 90° above to 50° below zero. With five figures, showing plan and side elevation of the apparatus, and diagrams illustrative of its performance. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 288. Price 10 cents. To be had at this office and from all newsdealers.

Starrett's Patent Double Square.

Warranted Accurate. With extra bevel blade, gives both the hexagon and octagon angles. Price, 4 in., \$1.50, with both blades, \$1.90; 6 in., \$2.50, with both blades, \$3. Combination Squares, Surface Gauges, Fay's Patent Spring Dividers, Spring Calipers, Steel Rules, and a full line of Fine Tools. Send 2-cent stamp for full list.

L. S. STARRETT, ATHOL, MASS.
MANUFACTURER OF FINE TOOLS.

IMPROVED SURFACE GAUGE. Try and Center Squares, Standard Steel Rules, Steel Caliper Rules, Universal Bevels, Bevel Protractors, Depth Gauges, Screw Pitch and Centre Gauges, Hardened Steel Squares, Graduated Steel Squares, Spring Calipers, Hardened Straight Edges, etc.

Illustrated Catalogue and Price List free.

Standard Tool Co., - Athol, Mass.

Scientific Book Catalogue

RECENTLY PUBLISHED. Our new catalogue containing over 100 pages, including works on more than fifty different subjects. Will be mailed free to any address on application.


MUNN & CO., Publishers Scientific American, 361 Broadway, New York.

PRESSES. 50 TO 500 TONS. For almost every purpose requiring pressure. **BOOMER & BOBERT PRESS CO.** 155 West Water Street, Syracuse, N. Y., U. S. A.

RUBBER ROOFING. UNEQUALED For House, Barn, Factory, etc. For Shed or Outbuilding. Excellent roof complete. Any one can lay it. \$2.00 per 100 Sq. Feet. Sample free if you state size of roof. 42 West Broadway, New York City. **INDIANA PAINT & ROOFING CO.**

NOW READY.

Experimental Science,



BY GEO. M. HOPKINS.

740 Pages. 680 Illustrations.

PRICE, by mail, postpaid, . . . \$4.00

SEND for FREE ILLUSTRATED CIRCULAR and Table of Contents.

MUNN & CO., Publishers,

Office of The Scientific American,

361 Broadway, New York.

TOOL AGENTS WANTED in every SHOP in the United States. Send 10c for catalogue. Stationery &c. THE FINEST OF MECHANICAL TOOLS A SPECIALTY. C. B. JAMES, 98 LAKE ST. CHICAGO.

ICE-HOUSE AND REFRIGERATOR. Directions and Dimensions for construction, with one illustration of cold house for preserving fruit from season to season. The air is kept dry and pure throughout the year at a temperature of from 34° to 38°. Contained in SCIENTIFIC AMERICAN SUPPLEMENT No. 116. Price 10 cents. To be had at this office and of all newsdealers.

STEEL TYPE FOR TYPEWRITERS, Stencils, Steel Stamps, Rubber and Metal Type Wheels. New York Stencil Works, Mfrs. 100 Nassau Street, New York.

POP SAFETY VALVE WATER RELIEF VALVE IMPROVED STEAM GAGE STEAM ENGINE INDICATOR Single Bell Chime Whistle, and all instruments used in connection with Steam, Air and Water. Sole Agents for Clark's Lumen Fire Hose. NEW YORK. LONDON. **CROSBY STEAM GAGE & VALVE CO.** 95 Oliver St. Boston, Mass.

OIL WELL SUPPLY CO. Ltd. 91 & 92 WATER STREET, Pittsburgh, Pa. Manufacturers of everything needed for **ARTESIAN WELLS** for either Gas, Oil, Water, or Mineral Tests, Boilers, Engines, Pipe, Casing, Drilling Tools, etc. Illustrated catalogue, price lists and discount sheets on request.

HOME-MADE INCUBATOR.—PRACTICAL directions for the manufacture of an effective incubator that has been carefully tested and found to perform all that may be reasonably expected; with directions for operating. With 4 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 630. Price 10 cents. To be had at this office and from all newsdealers.

ARTESIAN Wells, Oil and Gas Wells, drilled by contract to any depth, from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 600 ft. Send 6 cents for illustrated catalogue. Pierce, Arden and Oil Well Supply Co., 80 Beaver Street, New York.

TO BUSINESS MEN

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN, when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done, for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN. For rates see top of first column of this page, or address MUNN & CO., Publishers, 361 Broadway, New York.

SOME CHOICE Technical Treatises!

LIST No. 2.

DAVIS.—A Practical Treatise on the Manufacture of Bricks, Tiles and Terra Cotta, etc., including Fire Bricks. By Chas. T. Davis. Second edition, thoroughly revised. Illustrated by 211 engravings, 500 pages, 8vo. Price.....\$5.00

DAVIS.—The Manufacture of Leather, including Tanning, Tawing, Currying, Finishing, and Dyeing of every kind of Leather. By Chas. T. Davis. Illustrated by 302 engravings, and 12 samples of dyed leather, 824 pages, 8vo. Price.....\$10.00

DAVIS.—The Manufacture of Paper: Containing the various processes for the fabrication, coloring, and finishing of every kind of Paper, as well as the different Raw Materials. By Chas. T. Davis. Illustrated by 180 engravings, 616 pages, 8vo. Price.....\$6.00

DAVIS.—A Treatise on Steam Boiler Incrustation and Methods for Preventing Corrosion and Scale. By Chas. T. Davis. Illustrated by 65 engravings, 141 pages, 8vo. Price.....\$1.50

DAWIDOWSKY.—A Practical Treatise on the Raw Materials and Fabrication of Glue, Gelatin, Gelatin-Veneers and Foils, Isinglass, Cements, Pastes, Mucilages, etc. Translated and edited from the German by William T. Brannet. Illustrated by 35 engravings, 297 pages. Price.....\$2.50

DUPUIS.—A Treatise on the Manufacture and Distillation of Alcoholic Liquors. From the French of M. M. Dupuis by M. McKenney, M. D. Illustrated by 14 folding plates and several wood engravings, 743 pages, 8vo. Price.....\$10.00

FRANKEL-HUTTER.—A Practical Treatise on the Manufacture of Starch, Glucose, Starch-sugar and Dextrine. Based on the German of Wagner. Illustrated by 58 engravings, 344 pages, 8vo. Price.....\$3.50

GREENWOOD.—Steel and Iron: The Practice and Theory of the several Methods in their Manufacture. 97 diagrams, 586 pages, 8vo. Price.....\$2.00

HASERICK.—The Secret of the Art of Dyeing Wool, Cotton and Linen. By E. C. Haserick. Illustrated by 323 dyed patterns, 8vo. Price.....\$12.50

HOFFER.—A Practical Treatise on Caoutchouc and Gutta-Percha and the Manner of Mixing and Working them. From the German by Wm. T. Brannet. Illustrated, 278 pages, 12mo. Price.....\$2.50

KINGZETT.—The History, Products and Processes of the Alkali Trade. With 23 illustrations, 247 pages, 8vo. Price.....\$2.50

MAKINS.—A Manual of Metallurgy. Illustrated by 100 engravings, 592 pages, 8vo. Price.....\$3.00

NAPIER.—A System of Chemistry applied to Dyeing. Illustrated 422 pages, 8vo. Price.....\$3.50

O'NEILL.—A Dictionary of Dyeing and Calico Printing. 491 pages, 8vo. Price.....\$3.50

The above or any of our Books sent by mail, free of postage, at the publication prices, to any address in the world.

Our New Revised Catalogue of Practical and Scientific Books, 86 pages, 8vo, and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free of postage to any one in any part of the world who will furnish us with his address.

HENRY CAREY BAIRD & CO.
INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS
810 Walnut St., Philadelphia, Pa., U.S.A.

OTTO GAS ENGINES.
Over 25,000 Sold.
Horizontal.....Otto Gas Engines.
Vertical.....Otto Gas Engines.
Twin Cylinder.....Otto Gas Engines.
Combined.....Otto Gas Engines.
Combined.....Otto Gas Engines and Dynamos

OTTO GAS ENGINE WORKS,
CHICAGO, PHILADELPHIA.
New York Agency,
18 Vesey Street.

GRAY'S HARBOR

Washington. The Duluth of the Pacific Coast. RAILROAD TERMINUS of the Hunt System. now being pushed through to Grays Harbor from the Walla Walla wheat fields. Rich tributary country, wheat, coal, hay, and timber. Largest body of government land in Washington, subject to homestead, tributary. Two-fifths of all timber in Washington tributary; the future seat of great lumber manufacturing and other industries.

THE BEST HARBOR north of San Francisco, 18 square miles of anchorage, only 10 miles of towage; 350 miles nearer San Francisco and the world's markets than Tacoma. Possessed of unparalleled natural resources, Grays Harbor and the Grays Harbor Country offers great inducements to settlers, investors, and business men. For complete particulars address

GRAY'S HARBOR COMPANY,
Grays Harbor, Washington.

SEATTLE

The "Queen City" and Metropolis of the New State of Washington. For Illustrated Descriptive Matter write to the Leading Real Estate and Financial Brokers, Seattle.

Crawford & Conover

Excursion

To give manufacturers and others an opportunity to examine the property of the East

Chattanooga

Land Co., at Chattanooga, Tenn., arrangements have been made with Messrs. RAYMOND & WHITCOMB, the popular excursion managers, to conduct personally, at an early date, excursions from Boston, Chicago, New York, Philadelphia, and Cleveland to Chattanooga. Full details will be announced later.

Manufacturers desiring to inspect this property, with a view to locating thereon, can obtain special rates by applying to L. B. RUSSELL, Sec'y, 90 Summer St., Boston, or EAST CHATTANOOGA LAND CO., Chattanooga, Tenn.

PERFECT NEWSPAPER FILE

The Koch Patent File, for preserving newspapers, Magazines, and pamphlets, has been recently improved and price reduced. Subscribers to the SCIENTIFIC AMERICAN and SCIENTIFIC AMERICAN SUPPLEMENT can be supplied for the low price of \$1.50 by mail, or \$1.25 at the office of this paper. Heavy board sides; inscription "SCIENTIFIC AMERICAN" in gilt. Necessary for every one who wishes to preserve the paper. Address

MUNN & CO., Publishers SCIENTIFIC AMERICAN.

FIRE FELT.

It is to be superior to Hair Felt in Non-Conducting qualities. Made into sectional form for pipes and into sheets and rolls for large surfaces. Send for Samples. Asbestos Boiler Coverings, Steam Packings, Asbestos Cloth, Asbestos Building Paper, etc.

THE CHALMERS-SPENCE CO., 419 to 425 E. Eighth St., New York.
BRANCHES:—Philadelphia, Chicago, Pittsburgh, Boston.

ROCK BREAKERS AND ORE CRUSHERS
We manufacture and supply at short notice and lowest rates, Stone and Ore Crushers, containing the invention described in Letters Patent issued to Eli W. Blake, June 15, 1855, together with NEW AND VALUABLE IMPROVEMENTS, for which Letters Patent were granted May 11th and July 2nd, 1889, S. L. Marsden. All Crushers supplied by us are constructed under these patents of Mr. Marsden, who for the past twenty years has been connected with the manufacture of Blake Crushers in this country and England.

FARRELL FOUNDRY & MACHINE CO., Manufacturers, ANSONIA, CONN.
COPELAND & BACON, Agents, NEW YORK and PHILADELPHIA.

IS YOUR LIFE SAFE AT HOME?

Now is the season of the year when your house is shut up and you are liable to breathe impure air from a lack of sufficient ventilation. This breeds disease, and is absolutely dangerous to those who do not get plenty of out-door air.

Every Family should have the Sherman "King" Vaporizer. This simple and inexpensive device purifies the air in every place indoors.

It Never Fails. Especially needed in Schools and Churches. Send for particulars.

SHERMAN "KING" VAPORIZER CO., Chicopee Falls, Mass.

MANHATTAN SELF-LUBRICATING
Plumbago Packing
is the best to be had for Steamers, Locomotives, Stationary Engines, Pumps, with oil, hot or cold water. Valves, Steam Hammers, etc. It is made round and square.

Send for circulars, or sample for trial to the General Agents,
GREENE, TWEED & CO.,
83 CHAMBERS ST., N. Y.

THE PENNA. DIAMOND DRILL & MFG. CO.
BIRDSBORO, PA., Builders of High Class Steam Engines, Diamond Drilling and General Machinery. Flour Mill Rolls Ground and Grooved.

Moss Engraving Co.
535 PEARL ST. NEW YORK
cor. Elm St.
Engravings for Books, Newspapers and Circulars
Send Green Stamp for Circular—Send Photograph, Drawing or Print for Estimate
When writing to us please mention SCIENTIFIC AMERICAN.

After being on the Market Four Years
The "ACME" Still Leads!

Sizes One, Two, Three, and Four Horse Power. Arranged for either NATURAL GAS or Kerosene Oil fire, as ordered. No extra insurance required on account of the oil fire. Send for catalogue giving full particulars and prices.

ROCHESTER MACHINE TOOL WORKS, Brown's Race, ROCHESTER, N. Y.

Ideal Felt Tooth Polisher.
NON-IRRITATING TO GUMS OR ENAMEL
FOR SALE BY ALL DRUGGISTS

Gates Cornish Rolls Pulverizer
Simple, Durable, Compact, Dustless, and a finished product direct from the machines.
The best Ore Granulator for leaching and concentration.
MANUFACTURE ALSO
Gates Rock and Ore Breakers
Address for Catalogues
GATES IRON WORKS,
50 C So. Clinton St., Chicago.
215 Franklin St., Boston, Mass.

CLARK'S NOISELESS RUBBER WHEELS.
Absolutely prevents splintering and wearing of floors caused by use of iron wheels. Adapted for Trucks, Boxes, Baskets, Tables and work of every kind in Mills, Warehouses, etc. Also furniture casters. Catalogue free.
Geo. P. Clark Box L Windsor Locks, Conn.

ICE-HOUSE AND COLD ROOM.—BY R. C. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, 59. Price 10 cents. To be had at this office and of all newsdealers.

-DIVING APPARATUS- AND FIRE DEPARTMENT SUPPLIES
A. J. MORSE & SON 140 CONGRESS ST. BOSTON.

VOLNEY W. MASON & CO.,
FRICTION PULLEYS CLUTCHES AND ELEVATORS
PROVIDENCE, R. I.

\$10.00 to \$50.00 per night. A light and profitable business. Magic Lanterns and Views of popular subjects. Catalogues on application. Part 1 Optical, 2 Mathematical, 3 Meteorological, 4 Magic Lanterns, etc.
L. MANASSE, 88 Madison Street, Chicago, Ill.

CELEBRATED SUTTON RING PACKING.
PIONEER RUBBER PACKING
POSITIVELY ANTI-FRICTION, SPECIALLY ENDORSED FOR HIGH SPEED ENGINES
SEND FOR SAMPLE PACKAGE AND PARTICULARS TO ERIC RUBBER CO. ERIE, PA. U.S.A.

THE "FISHKILL" CORLISS ENGINE
COMBINING A MAXIMUM OF ECONOMY, EFFICIENCY, AND DURABILITY.
Fishkill Landing Machine Co., Fishkill-on-Hudson, N. Y.

THE NEW NON-CONDUCTING MATERIAL
is a Flexible Felt Made of Pure Asbestos, in a finely divided fibrous state, indestructible by heat and unexcelled as a Non-Conductor. U. S. Navy tests show for pipes and into sheets and rolls for large surfaces. Send for Samples.

Asbestos Boiler Coverings, Steam Packings, Asbestos Cloth, Asbestos Building Paper, etc.

THE CHALMERS-SPENCE CO., 419 to 425 E. Eighth St., New York.
BRANCHES:—Philadelphia, Chicago, Pittsburgh, Boston.

ROCK BREAKERS AND ORE CRUSHERS
We manufacture and supply at short notice and lowest rates, Stone and Ore Crushers, containing the invention described in Letters Patent issued to Eli W. Blake, June 15, 1855, together with NEW AND VALUABLE IMPROVEMENTS, for which Letters Patent were granted May 11th and July 2nd, 1889, S. L. Marsden. All Crushers supplied by us are constructed under these patents of Mr. Marsden, who for the past twenty years has been connected with the manufacture of Blake Crushers in this country and England.

FARRELL FOUNDRY & MACHINE CO., Manufacturers, ANSONIA, CONN.
COPELAND & BACON, Agents, NEW YORK and PHILADELPHIA.

IS YOUR LIFE SAFE AT HOME?

Now is the season of the year when your house is shut up and you are liable to breathe impure air from a lack of sufficient ventilation. This breeds disease, and is absolutely dangerous to those who do not get plenty of out-door air.

Every Family should have the Sherman "King" Vaporizer. This simple and inexpensive device purifies the air in every place indoors.

It Never Fails. Especially needed in Schools and Churches. Send for particulars.

SHERMAN "KING" VAPORIZER CO., Chicopee Falls, Mass.

MANHATTAN SELF-LUBRICATING
Plumbago Packing
is the best to be had for Steamers, Locomotives, Stationary Engines, Pumps, with oil, hot or cold water. Valves, Steam Hammers, etc. It is made round and square.

Send for circulars, or sample for trial to the General Agents,
GREENE, TWEED & CO.,
83 CHAMBERS ST., N. Y.

THE PENNA. DIAMOND DRILL & MFG. CO.
BIRDSBORO, PA., Builders of High Class Steam Engines, Diamond Drilling and General Machinery. Flour Mill Rolls Ground and Grooved.

Moss Engraving Co.
535 PEARL ST. NEW YORK
cor. Elm St.
Engravings for Books, Newspapers and Circulars
Send Green Stamp for Circular—Send Photograph, Drawing or Print for Estimate
When writing to us please mention SCIENTIFIC AMERICAN.

After being on the Market Four Years
The "ACME" Still Leads!

Sizes One, Two, Three, and Four Horse Power. Arranged for either NATURAL GAS or Kerosene Oil fire, as ordered. No extra insurance required on account of the oil fire. Send for catalogue giving full particulars and prices.

ROCHESTER MACHINE TOOL WORKS, Brown's Race, ROCHESTER, N. Y.

Ideal Felt Tooth Polisher.
NON-IRRITATING TO GUMS OR ENAMEL
FOR SALE BY ALL DRUGGISTS

Gates Cornish Rolls Pulverizer
Simple, Durable, Compact, Dustless, and a finished product direct from the machines.
The best Ore Granulator for leaching and concentration.
MANUFACTURE ALSO
Gates Rock and Ore Breakers
Address for Catalogues
GATES IRON WORKS,
50 C So. Clinton St., Chicago.
215 Franklin St., Boston, Mass.

CLARK'S NOISELESS RUBBER WHEELS.
Absolutely prevents splintering and wearing of floors caused by use of iron wheels. Adapted for Trucks, Boxes, Baskets, Tables and work of every kind in Mills, Warehouses, etc. Also furniture casters. Catalogue free.
Geo. P. Clark Box L Windsor Locks, Conn.

ICE-HOUSE AND COLD ROOM.—BY R. C. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, 59. Price 10 cents. To be had at this office and of all newsdealers.

-DIVING APPARATUS- AND FIRE DEPARTMENT SUPPLIES
A. J. MORSE & SON 140 CONGRESS ST. BOSTON.

VOLNEY W. MASON & CO.,
FRICTION PULLEYS CLUTCHES AND ELEVATORS
PROVIDENCE, R. I.

\$10.00 to \$50.00 per night. A light and profitable business. Magic Lanterns and Views of popular subjects. Catalogues on application. Part 1 Optical, 2 Mathematical, 3 Meteorological, 4 Magic Lanterns, etc.
L. MANASSE, 88 Madison Street, Chicago, Ill.

CELEBRATED SUTTON RING PACKING.
PIONEER RUBBER PACKING
POSITIVELY ANTI-FRICTION, SPECIALLY ENDORSED FOR HIGH SPEED ENGINES
SEND FOR SAMPLE PACKAGE AND PARTICULARS TO ERIC RUBBER CO. ERIE, PA. U.S.A.

THE "FISHKILL" CORLISS ENGINE
COMBINING A MAXIMUM OF ECONOMY, EFFICIENCY, AND DURABILITY.
Fishkill Landing Machine Co., Fishkill-on-Hudson, N. Y.

PROPOSALS.

Proposals for Material for Steel Tops for the U. S. S. "San Francisco," at the U. S. Navy Yard, Mare Island, California.—March 10, 1890.—Sealed proposals, endorsed "Proposals for Material for Steel Tops of the U. S. S. 'San Francisco,' at the Mare Island Navy Yard," to be opened April 15, 1890," will be received at the Bureau of Provisions and Clothing, Navy Department, Washington, D. C., until 12 o'clock noon, April 15, 1890, and publicly opened immediately thereafter, to furnish at the Mare Island Navy Yard, 13,606 pounds steel plates, 4,270 pounds angle bars, 1,225 pounds tee-bars, 2,224 pounds miscellaneous wrought iron and 1,773 pounds of steel rivets. Blank forms of proposals will be furnished on application to the Bureau, the Commandant, Mare Island, or the Navy Pay Office, San Francisco, Cal. The material must in all cases conform to the Navy standard and pass the usual naval inspection. The bids decided by lot. The Department reserves the right to waive defects or to reject any or all bids not deemed advantageous to the Government.
JAMES FULTON, Paymaster General, U. S. Navy.

Proposals for Monitor Screw Machine for the New York Navy Yard.—March 14, 1890.—Sealed proposals, endorsed "Proposals for Monitor Screw Machine for the New York Navy Yard," to be opened April 15, 1890," will be received at the Bureau of Provisions and Clothing, Navy Department, Washington, D. C., until 12 o'clock noon, April 15, 1890, and publicly opened immediately thereafter, to furnish at the New York Navy Yard, one Pratt & Whitney monitor screw machine. The machine must conform to the Navy standard, and pass the usual naval inspection. Blank proposals will be furnished upon application to the Commandant of the Navy Yard, the Navy Pay Office, New York, or to the Bureau. The bids decided by lot. The Department reserves the right to reject any or all bids not deemed advantageous to the Government.
JAMES FULTON, Paymaster General, U. S. Navy.

Department of the Interior, WASHINGTON.
March 13, 1890.—Sealed proposals for erecting an engine house and impounding reservoir, furnishing pumping engines and boilers, cast and wrought iron piping, special castings, fittings, valves, lead, lute, and for excavation and performing the work necessary to complete the pumping station on the Hot Springs Reservation, at Hot Springs, Ark., will be received at this Department until 12 o'clock M., Wednesday, April 30, 1890, when they will be opened. Blank forms of proposal, embracing specifications, together with drawings showing details, may be obtained upon application to the Department or the Superintendent of the Reservation at Hot Springs, Ark.
JOHN W. NOBLE, Secretary.

\$500.00 PREMIUM.
TENDERS WANTED.

Tenders will be received by the City of Brandon, Man., not later than the fifteenth (15) day of May, 1890, for the following: "Plans for a system of water works for the City of Brandon, including sources of supply, plans of works, estimates of costs, running expenses and receipts, and the question of private or municipal control. Also plans for a system of sewerage for the said City of Brandon in connection with such water works, estimates of costs, etc. The population of the city is about four thousand (4,000). A premium of five hundred dollars (\$500) will be paid by the Council of the City of Brandon for the plans and estimates accepted by the Council.

VIOLIN OUTFITS!
Sent to any part of the United States on 1 to 3 days' trial before buying.

brings you our Beautifully Illustrated 100-page Catalogue of Musical Instruments. Mail orders solicited.
C. W. STORY, 28 Central St., Boston, Mass.

ON MECHANICAL ENGINEERING
in Electrical Industries.—An address by Prof. John Perry, D.Sc., discussing the importance of electricians of a thorough knowledge of engineering. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 727. Price 10 cents. To be had at this office and from all newsdealers.

Watchman's Improved Time Detector
with Safety Lock attachment. Patented 1875-5-7-80-81. Beware of imitations. This instrument is supplied with 12 keys for 12 stations. Invaluable for all concerns employing night watchmen. Send for circulars to
W. H. HATFIELD, P. O. Box 2575, 206 Broadway New York.

INVENTORS and others desiring new articles manufactured and introduced, address P. O. Box 85, Cleveland, O.

Barrel, Keg, Hogshead AND STAVE MACHINERY.
Over 50 varieties manufactured by
E. & B. Holmes, BUFFALO, N. Y.

Truss Hoop Driving.
ALSO A FULL LINE OF WOOD WORKING MACHINERY.

THE BEST LIME KILN KNOWN
or no pay. **C. D. PAGE, Rochester, N. Y.**

TO INVENTORS!—PATENTS. Trade Marks and Copyrights. Agency Office for ITALY—Rome E. via Cavour 194, L. GATTA. Highest references, English correspondence. Commissions and representations.

INVENTORS!—We make anything you want from a Screw to Complete Working Model. Inventions perfected. Plans worked out, drawings prepared. Reports. Circulars sent. A. J. WEED & Co., 92 Fulton St., N. Y.

FOR SALE.—Patent 400,949, Aug. 27, '89, Transplanter, Planter, and Post Hole Digger. The most practical invention of its class. Needed by gardeners, farmers, and others throughout the Union. Awarded medal at American Institute Fair, RICHARD FOSTER, Cazenovia, N. Y.

SOLE AGENCY wanted for the sale in Germany of a patented article of good sale belonging to the metal trade preferred. Address S 8216, care RUDOLF MOSSE, Stuttgart, Germany.

The Scientific American
PUBLICATIONS FOR 1890.

The prices of the different publications in the United States, Canada, and Mexico are as follows:
RATES BY MAIL.

The Scientific American (weekly) one year.....\$3.00
The Scientific American Supplement (weekly), one year.....5.00
The Scientific American, Spanish Edition (monthly) one year.....3.00

The Scientific American, Architects and Builders Edition (monthly), one year.....2.50
COMBINED RATES.
The Scientific American and Supplement.....\$7.00
The Scientific American and Architects and Builders Edition.....5.00
The Scientific American, Supplement, and Architects and Builders Edition.....9.00

Proportionate Rates for Six Months.
This includes postage, which we pay. Remit by postal or express money order, or draft to order of
MUNN & CO., 361 Broadway, New York.

The Scientific American
PUBLICATIONS FOR 1890.

The prices of the different publications in the United States, Canada, and Mexico are as follows:
RATES BY MAIL.

The Scientific American (weekly) one year.....\$3.00
The Scientific American Supplement (weekly), one year.....5.00
The Scientific American, Spanish Edition (monthly) one year.....3.00

The Scientific American, Architects and Builders Edition (monthly), one year.....2.50
COMBINED RATES.
The Scientific American and Supplement.....\$7.00
The Scientific American and Architects and Builders Edition.....5.00
The Scientific American, Supplement, and Architects and Builders Edition.....9.00

Proportionate Rates for Six Months.
This includes postage, which we pay. Remit by postal or express money order, or draft to order of
MUNN & CO., 361 Broadway, New York.

The Scientific American
PUBLICATIONS FOR 1890.

The prices of the different publications in the United States, Canada, and Mexico are as follows:
RATES BY MAIL.

The Scientific American (weekly) one year.....\$3.00
The Scientific American Supplement (weekly), one year.....5.00
The Scientific American, Spanish Edition (monthly) one year.....3.00

The Scientific American, Architects and Builders Edition (monthly), one year.....2.50
COMBINED RATES.
The Scientific American and Supplement.....\$7.00
The Scientific American and Architects and Builders Edition.....5.00
The Scientific American, Supplement, and Architects and Builders Edition.....9.00

Proportionate Rates for Six Months.
This includes postage, which we pay. Remit by postal or express money order, or draft to order of
MUNN & CO., 361 Broadway, New York.

The Scientific American
PUBLICATIONS FOR 1890.

WORKING MODELS & LIGHT MACHINERY. INVENTIONS DEVELOPED. Send for Model Circular. Jones Bros. E. Co. Cincinnati

Advertisements.

Inside Page, each insertion - - - 25 cents a line.
Back Page, each insertion - - - \$1.00 a line.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.



Wheeling is Better than Walking.

Victor Bicycles

Are Better than Any Others.
Catalogue Free.
Overman Wheel Co., Makers,
Chicopee Falls, Mass.

THE COPYING PAD.—HOW TO MAKE
and how to use; with an engraving. Practical directions how to prepare the gelatine pad, and also the aniline ink by which the copies are made; how to apply the written letter to the pad; how to take off copies of the letter. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 438. Price 10 cents. For sale at this office and by all newsdealers in all parts of the country.

NEW KODAKS



"You press the button,
we do the rest."

Seven New
Styles and
Sizes
ALL LOADED WITH
Transparent
Films.

For sale by all Photo. Stock Dealers.

THE EASTMAN COMPANY,

Send for Catalogue.

ROCHESTER, N. Y.

THE AMERICAN BELL TELEPHONE CO.


95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

H.W. JOHNS' ASBESTOS STEAM PACKING

Boiler Coverings, Millboard, Roofing,
Building Felt, Liquid Paints, Etc.
DESCRIPTIVE PRICE LIST AND SAMPLES SENT FREE.
H. W. JOHNS MFG. CO., 87 Malden Lane, N. Y.



STEAM ENGINES

Upright and Horizontal,
Stationary,
Portable and Semi-Portable.
8 to 16 Horse Power.
Illustrated Pamphlet Free. Address
JAMES LEFFEL & CO.
SPRINGFIELD, OHIO,
or 110 Liberty St., New York.

FOR SALE.—Three Chemical

ICE MACHINES,

each to make 700 pounds ice per day. Inquire at The De Lamer Iron Works, Foot West 13th Street, New York.

BASE BALL.—A DESCRIPTION OF
the great national game of the United States, by an English writer, Jno. Newton Crane, with diagram of the field and illustrations of players. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 493. Price 10 cents. To be had at this office and from all newsdealers.



PATENTS!


MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for Inventors.

In this line of business they have had forty-one years' experience, and now have unequalled facilities for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business entrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases. Hints on the Sale of Patents, etc.

We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,
361 Broadway, New York.
BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building, near 7th Street, Washington, D. C.



Patent Riveted Monarch Rubber Belting.

BEST IN THE WORLD.

THE GUTTA PERCHA AND RUBBER MFG. CO.

35 Warren Street, New York.

Chicago,

San Francisco,

Boston, Mass.



"COLUMBIAS" HIGHEST GRADE ONLY.

Catalogue Free.

POPE MFG. CO.
77 Franklin St., BOSTON.

BRANCH HOUSES:
12 Warren St., NEW YORK.
291 Wabash Ave., CHICAGO.

THE ONLY PRACTICAL LOW-PRICED \$15 TYPEWRITER

Catalogue free. Address Typewriter Department,
POPE MFG. CO., Makers of Columbia Cycles,
Boston, New York, Chicago.



If you are a
CARPENTER,
PATTERNMAKER,
MILLWRIGHT,
CABINETMAKER,
and want First-Class
TOOLS,

Send 8 cents in stamps for our Woodworkers' Tool Catalogue No. 12, 200 pages, 700 illustrations. The most complete catalogue of these goods ever issued.
CHAS. A. STRELINGER & CO., Detroit, Mich.

**PATENT
JACKET KETTLES,**
Plain or Porcelain Lined. Tested to 100 lb. pressure. Send for Lists.
BARROWS-SAVILEY CO., Limited,
S. Front & Reed Streets Philadelphia, Pa.

THE INTERNATIONAL CYCLOPEDIA

I have tested it in many ways, such as have been suggested by my own reading, and have found it Remarkably Accurate.—EDWARD EVERETT HALE, D.D.
I find it exactly the book of reference Best Suited for Family Use. It gives both sides of important questions and decides nothing.—HOWARD CROSBY, D.D.



Those who do not wish to buy a separate biographical dictionary will find the **Fuller List of Names in Contemporary Biography**, American and Foreign, in the INTERNATIONAL.—Sunday School Times.
It can fittingly be called **A Working Cyclopaedia**, making its aid felt in all callings—in the minister's study, lawyer's office, the schoolroom, library and home.—The Chautauquan.

SALESMEN WANTED. SOLD FOR CASH OR ON EASY PAYMENTS.
DODD, MEAD & COMPANY, SUBSCRIPTION DEPARTMENT, 753 & 755 Broadway, N. Y.



WORKING MODELS and Experimental Machinery, metal or wood, made to order by MASON & RAUCH, successors to J. F. Werner, 47 & 49 Centre Street, New York.



Printing Presses.

MILWAUKEE, WIS., 387 B'way, Feb. 18, 1890.
CHARTER GAS ENGINE CO., Sterling, Ill.
In answer to yours, asking us how we like our engine, will say we have used your No. 4 Gasoline Engine about one year and are much pleased with it. It furnishes a stronger and steadier power than the Gas Engine we formerly used, at a cost of about \$15.00 less per month to run it, which we consider quite an item. The average is 12 gallons of gasoline for 10 hours work. Our insurance has not been raised on account of it. The Chief of our Fire Department recommended it as a better insurance risk than an engine using manufactured gas, and we are in the heart of the city. The printer in the interior of Wisconsin to whom I recommended the "Charter," says it is working splendidly. You can refer any one to us for further particulars.
Yours,
SWAIN & TATE.
For circulars, etc., address CHARTER GAS ENGINE CO., P. O. Box 148, STERLING, ILL.



SHIPMAN AUTOMATIC STEAM ENGINES.
1-2-4-6-8-12 HORSE POWER.
OVER 2500 IN USE—MARINE AND STATIONARY. SAFE, RELIABLE AND ECONOMICAL, REQUIRING NO SKILLED ENGINEER.
SEND 4 CENTS FOR ILLUSTRATED CATALOGUE.
HAWTHORN & CO.,
12 CORTLAND ST. NEW YORK.

ICE and REFRIGERATING MACHINES
The Pictet Artificial Ice Company (Limited), Room 6, Coal & Iron Exchange, New York.



CUTLER DESK. BEST IN THE WORLD. A CUTLER & SON, BUFFALO, N. Y., U.S.A.

SYRACUSE MALLEABLE IRON WORKS

THREE ELEVATORS

A Day is the output of
OTIS BROTHERS & CO.'S
Passenger and Freight Elevator Works,
General Office, 38 Park Row, New York.

THE OTIS ELEVATOR

THE GRAVES ELEVATORS.
PASSENGER & FREIGHT L. S. GRAVES & SON ROCHESTER, N. Y.
NEW YORK, BOSTON, ST. LOUIS, DETROIT.

JENKINS STANDARD PACKING!

JENKINS BROS., 71 John St., N. Y.; 105 Milk St., Boston; 21 North 5th St., Phila.; 54 Dearborn St., Chicago.
WIRE ROPE
Address JOHN A. ROEBLING'S SONS, Manufacturers, Trenton, N. J., or 117 Liberty Street, New York.
Wheels and Rope for conveying power long distances. Send for circular.

IDEAL MUSICAL BOX

Is the Latest Invention in Swiss Musical Boxes. It is the Sweetest and Most Perfect Instrument for the Parlor. Any number of tunes can be obtained for it. The Largest Stock of Musical Boxes in America. Send 4 cent stamp for Illustrated Catalogue.
JACOT & SON, 300 BROADWAY, NEW YORK.

THE SCIENTIFIC AMERICAN

ESTABLISHED 1846.

The Most Popular Scientific Paper in the World.

Only \$3.00 a Year, including Postage. Weekly. 52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete List of Patents each week.

Terms of Subscription.—One copy of the SCIENTIFIC AMERICAN will be sent for one year—52 numbers—postage prepaid, to any subscriber in the United States, Canada or Mexico, on receipt of three dollars by the publishers; six months, \$1.50; three months, \$1.00.

Clubs.—Special rates for several names and to Post Masters. Write for particulars.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to

MUNN & CO.,
361 Broadway, New York.

THE SCIENTIFIC AMERICAN SUPPLEMENT.

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of engravings, many of which are taken from foreign papers, and accompanied with translated descriptions. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archeology, Astronomy, Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT for the United States and Canada, \$5.00 a year, or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year for \$7.00. Single copies 10 cents. Address and remit by postal order, express money order, or check.

MUNN & Co., 361 Broadway, N. Y.,
Publishers SCIENTIFIC AMERICAN.

Building Edition.

THE SCIENTIFIC AMERICAN ARCHITECTS' AND BUILDERS' EDITION is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming a large and splendid Magazine of Architecture, richly adorned with elegant plates in colors, and with other fine engravings; illustrating the most interesting examples of modern Architectural Construction and allied subjects.

A special feature is the presentation in each number of a variety of the latest and best plans for private residences, city and country, including those of very moderate cost as well as the more expensive. Drawings in perspective and in color are given, together with full Plans, Specifications, Sheets of Details, Estimates, etc. The elegance and cheapness of this magnificent work have won for it the Largest Circulation of any Architectural publication in the world. Sold by all newsdealers. \$2.50 a year. Remit to

MUNN & CO., Publishers,

361 Broadway, New York.

PRINTING INKS.

THE "Scientific American" is printed with CHAS. ENEU JOHNSON & CO.'S INK. Tenth and Lombard Sts., Phila. and 47 Rose St., opp. Duane St., N. Y.